

Product Data Sheet: α-Smooth Muscle Actin (ACTA2) Rabbit Polyclonal Antibody

Cat. No: AB-84750

Conjugate: Unconjugated

Size: 100 ug

Clone: POLY

Concentration: 1mg/ml

Host: Rabbit

Isotype: IgG

Immunogen:Recombinant fusion protein containing a sequence corresponding to amino acids

1-124 of human α -Smooth Muscle Actin (ACTA2).

Reactivity: Human, Mouse, Rat

Western Blot: 1:500 - 1:1000

Applications: Immunohistochemistry (paraffin-embedded tissues) 1:50 – 1:200

Immunofluorescence: 1:50 - 1:200 Immunocytochemistry: 1:50 - 1:200

Molecular Weight: 42KDa

Purification: Affinity purification

Synonyms: ACTSA

This gene encodes one of six different actin proteins. Actins are highly conserved proteins that are involved in cell motility, structure, integrity, and intercellular signaling. The encoded protein is a smooth muscle actin that is involved in vascular contractility and blood pressure homeostasis. Mutations in this gene

cause a variety of vascular diseases, such as thoracic aortic disease, coronary artery disease, stroke, and Moyamoya disease, as well as multisystemic smooth


muscle dysfunction syndrome.

Form: Liquid

Background:

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.

Storage: Store at -20°C. Avoid freeze / thaw cycles.




Western blot analysis of Mouse heart, using α-Smooth Muscle Actin (ACTA2) antibody at 1:800 dilution.


Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution.

Lysates/proteins: 25ug per lane.

Blocking buffer: 3% nonfat dry milk in TBST.



Immunofluorescence analysis of human smooth muscle cells using α -Smooth Muscle Actin (ACTA2) Rabbit pAb at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




Immunofluorescence analysis of mouse colon cells using α -Smooth Muscle Actin (ACTA2) Rabbit pAb at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




Product Data Sheet: α-Smooth Muscle Actin (ACTA2) Rabbit Polyclonal Antibody

Detection: ECL West Pico Plus. Exposure time: 10s.




Immunofluorescence analysis of rat rectum cells using α -Smooth Muscle Actin (ACTA2) Rabbit pAb at dilution of 1:100


(40x lens). Blue: DAPI for nuclear staining.




Immunohistochemistry of paraffinembedded mouse lung using α-Smooth Muscle Actin (ACTA2) Rabbit pAb at dilution of 1:20 (40x lens).Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




Immunohistochemistry of paraffinembedded rat ovary using α -Smooth Muscle Actin (ACTA2) Rabbit pAb at dilution of 1:20 (40x lens).Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.




Immunohistochemistry of paraffinembedded human colon carcinoma using α -Smooth Muscle Actin Rabbit pAb at dilution of 1:20 (40x lens).Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Immunohistochemistry of paraffinembedded mouse stomach using α- Smooth Muscle Actin (ACTA2) Rabbit pAb at dilution of 1:20 (40x lens).Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Immunohistochemistry of paraffinembedded human esophagus using α- Smooth Muscle Actin (ACTA2) Rabbit pAb at dilution of 1:20 (40x lens).Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Immunohistochemistry of paraffinembedded Rat heart using α-Smooth Muscle Actin (ACTA2) Rabbit pAb at dilution of 1:20 (40x lens).Perform high pressure antigen retrieval with 10 mM citrate buffer pH 6.0 before commencing with IHC staining protocol.



Product Data Sheet: α-Smooth Muscle Actin (ACTA2) Rabbit Polyclonal Antibody

References:

References for α -Smooth Muscle Actin (ACTA2) Rabbit pAb Product: α -Smooth Muscle Actin (ACTA2) Rabbit pAb Journal: Acta Pharmacologica Sinica Application: WB IF: 6.15

11.0.13

Species:Homo sapiens,Mus musculus

PMID:31804606

Title:Ganoderic acid hinders renal fibrosis via suppressing the TGF-β/Smad and MAPK signaling pathways

References for α -Smooth Muscle Actin (ACTA2) Rabbit pAb Product: α -Smooth Muscle Actin (ACTA2) Rabbit pAb Journal: Pharmacological Research Application: WB IF: 7.658

Species:Mus musculus PMID:32151678

Title:Cardamonin retards progression of autosomal dominant polycystic kidney disease via inhibiting renal cyst growth and interstitial fibrosis

References for α -Smooth Muscle Actin (ACTA2) Rabbit pAb Product: α -Smooth Muscle Actin (ACTA2) Rabbit pAb Journal: Oncotarget Application: IF, IHC IF: 3.765

Species:Mus musculus PMID:28915589

Title:Casticin Attenuates Liver Fibrosis and Hepatic Stellate Cell Activation by Blocking TGF-β/Smad Signaling Pathway.

References for α -Smooth Muscle Actin (ACTA2) Rabbit pAb Product: α -Smooth Muscle Actin (ACTA2) Rabbit pAb Journal:Parasit Vectors Application:WB IF:3.876 Species:Mus musculus

PMID:34521449

Title:MicroRNA-497 induced by Clonorchis sinensis enhances the TGF- β /Smad signaling pathway to promote hepatic fibrosis by targeting Smad7

For Research use only IMMUNOLOGICAL SCIENCES