

Cat. No:	MAB-94618
Conjugate:	Unconjugated
Size:	100 ug
Clone:	9CM
Concentration:	1mg/ml
Host:	Ms
Isotype:	IgG
Immunogen:	A synthetic peptide of human AKT1
Reactivity:	Hu ,Ms
Applications:	WB: 1:500 - 1:1000
Molecular Weight:	56 kDa
Purification:	Aff. Pur.

Background:

The serine-threonine protein kinase encoded by the AKT1 gene is catalytically inactive in serum-starved primary and immortalized fibroblasts. AKT1 and the related AKT2 are activated by platelet-derived growth factor. The activation is rapid and specific, and it is abrogated by mutations in the pleckstrin homology domain of AKT1. It was shown that the activation occurs through phosphatidylinositol 3-kinase. In the developing nervous system AKT is a critical mediator of growth factor-induced neuronal survival. Survival factors can suppress apoptosis in a transcription-independent manner by activating the serine/threonine kinase AKT1, which then phosphorylates and inactivates components of the apoptotic machinery. Mutations in this gene have been associated with the Proteus syndrome. Multiple alternatively spliced transcript variants have been found for this gene.

Form:	Liquid
Buffer:	PBS with 0.02% sodium azide,50% glycerol, pH7.3.
Storage:	Store at -20°C. Avoid freeze / thaw cycles.

**For Research use only
IMMUNOLOGICAL SCIENCES**