

<b>Cat. No:</b>	MAB-94627
<b>Size:</b>	100 ug
<b>Clone:</b>	CB29
<b>Concentration:</b>	1mg/ml
<b>Host:</b>	Ms
<b>Isotype:</b>	IgG
<b>Immunogen:</b>	Recombinant protein of human $\beta$ -Catenin.
<b>Reactivity:</b>	Hu, Ms, Rt
<b>Applications:</b>	vWestern Blot: 1:500 - 1:2000 Immunohistochemistry: 1:50 - 1:200 Immunofluorescence: 1:50 - 1:200 Flow cytometry: 1:50 - 1:200
<b>Molecular Weight:</b>	92kDa
<b>Purification:</b>	Aff. Pur.
<b>Synonyms:</b>	CTNNB;MRD19;armadillo;beta Catenin;CTNNB1
<b>Background:</b>	<p>The protein encoded by this gene is part of a complex of proteins that constitute adherens junctions (AJs). AJs are necessary for the creation and maintenance of epithelial cell layers by regulating cell growth and adhesion between cells. The encoded protein also anchors the actin cytoskeleton and may be responsible for transmitting the contact inhibition signal that causes cells to stop dividing once the epithelial sheet is complete. Finally, this protein binds to the product of the APC gene, which is mutated in adenomatous polyposis of the colon. Mutations in this gene are a cause of colorectal cancer (CRC), pilomatixoma (PTR), medulloblastoma (MDB), and ovarian cancer. Alternative splicing results in multiple transcript variants.</p>
<b>Form:</b>	Liquid
<b>Buffer:</b>	PBS with 0.02% sodium azide and 50% glycerol pH 7.4
<b>Storage:</b>	Store at -20°C. Avoid freeze / thaw cycles.

**For Research use only  
IMMUNOLOGICAL SCIENCES**