

Cat. No:	MABN02067
Conjugate:	Unconjugated
Size:	100 μ L
Clone:	Monoclonal
Concentration:	1mg/ml
Host:	Rabbit
Isotype:	IgG
Immunogen:	A synthetic peptide of human GSTA3
Reactivity:	Human,Mouse,Rat
Applications:	WB 1:500-1:1000
Molecular Weight:	Calculated MW: 25 kDa; Observed MW: 25 kDa
Purification:	Affinity Purification
Synonyms:	GTA3; GSTA3-3
Background:	Conjugation of reduced glutathione to a wide number of exogenous and endogenous hydrophobic electrophiles. Catalyzes isomerization reactions that contribute to the biosynthesis of steroid hormones. Efficiently catalyze obligatory double-bond isomerizations of delta5-androstene-3,17-dione and delta5-pregnene-3,20-dione, precursors to Tosterone and progesterone, respectively.
Form:	Liquid
Buffer:	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Storage:	Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles.

**For Research use only
IMMUNOLOGICAL SCIENCES**