

Cat. No:	MAB-91878
Conjugate:	Unconjugated
Size:	100 ug
Clone:	2D10
Concentration:	1mg/mL
Host:	Ms
Isotype:	IgG1,Kappa
Immunogen:	A synthetic peptide corresponding to HA tag.
Reactivity:	All Species
Applications:	Western Blot: 1:2000 - 1:10000 Immunofluorescence:1:50 - 1:200 Immunocytochemistry: 1:50 - 1:200 Immunoprecipitation: 0.5µg-4µg antibody for 200µg-400µg extracts of whole cells
Purification:	Affinity purification
Synonyms:	HA;HA tag;HA-tag
Background:	Protein tags are peptide sequences genetically grafted onto a recombinant protein. Often these tags are removable by chemical agents or by enzymatic means, such as proteolysis or intein splicing. Tags are attached to proteins for various purposes.Epitope tags are short peptide sequences which are chosen because high-affinity antibodies can be reliably produced in many different species. These are usually derived from viral genes, which explain their high immunoreactivity. Epitope tags include V5-tag, Myc-tag, HA-tag and NE-tag. These tags are particularly useful for western blotting, immunofluorescence and immunoprecipitation experiments, although they also find use in antibody purification.
Form:	Liquid
Buffer:	PBS with 0.01% thimerosal,50% glycerol,pH7.3.
Storage:	Store at -20°C for 1 year. Avoid repeated freeze and thaw cycles.

**For Research use only
IMMUNOLOGICAL SCIENCES**