

Cat. No:	AB-84377
Conjugate:	Unconjugated
Size:	100 ug
Clone:	POLY
Concentration:	1mg/ml
Host:	Rabbit
Isotype:	IgG
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-110 of human INS.
Reactivity:	Human, Mouse, Rat
Applications:	<div> <div>Western Blot:</div> <div>1:500 - 1:2000</div> </div> <div> <div>Immunohistochemistry:</div> <div>1:50 - 1:200</div> </div> <div> <div>Immunofluorescence:</div> <div>1:50 - 1:200</div> </div>
Molecular Weight:	12kDa
Purification:	Affinity purification
Synonyms:	IDDM;IDDM1;IDDM2;ILPR;IRDN;MODY10;INS;Insulin;insulin
Background:	<p>After removal of the precursor signal peptide, proinsulin is post-translationally cleaved into three peptides: the B chain and A chain peptides, which are covalently linked via two disulfide bonds to form insulin, and C-peptide. Binding of insulin to the insulin receptor (INSR) stimulates glucose uptake. A multitude of mutant alleles with phenotypic effects have been identified. There is a read-through gene, INS-IGF2, which overlaps with this gene at the 5' region and with the IGF2 gene at the 3' region. Alternative splicing results in multiple transcript variants.</p>
Form:	Liquid
Buffer:	PBS with 0.02% sodium azide, 50% glycerol, pH 7.3.
Storage:	Store at -20°C. Avoid freeze / thaw cycles.

For Research use only
IMMUNOLOGICAL SCIENCES