

<b>Cat. No:</b>	AB-84295
<b>Conjugate:</b>	Unconjugated
<b>Size:</b>	100 ug
<b>Clone:</b>	POLY
<b>Concentration:</b>	1mg/ml
<b>Host:</b>	Rabbit
<b>Isotype:</b>	IgG
<b>Immunogen:</b>	oligodendrocyte lineage transcription factor 2
<b>Reactivity:</b>	Human, Mouse, Rat
<b>Applications:</b>	Western blot: 1:500 - 1:1000 Immunohistochemistry: 1:500 - 1:1500 Immunofluorescence: 1:500 - 1:1000 Immunoprecipitation: 1:500 - 1:1000
<b>Molecular Weight:</b>	32 kDa
<b>Purification:</b>	≥95% as determined by SDS-PAGE
<b>Synonyms:</b>	BHLHB1, BHLHE19, PRKCBP2, RACK17
<b>Background:</b>	Required for oligodendrocyte and motor neuron specification in the spinal cord, as well as for the development of somatic motor neurons in the hindbrain. Cooperates with OLIG1 to establish the pMN domain of the embryonic neural tube. Antagonist of V2 interneuron and of NKX2-2-induced V3 interneuron development (By similarity).
<b>Form:</b>	Liquid
<b>Buffer:</b>	PBS with 0.02% sodium azide and 50% glycerol pH 7.3.
<b>Storage:</b>	Store at -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

**For Research use only  
IMMUNOLOGICAL SCIENCES**