


Cat. No:	ABP-0514
Conjugate:	Unconjugated
Size:	100 ug
Clone:	Poly
Concentration:	1mg/ml
Host:	Rb
Isotype:	IgG
Immunogen:	A phospho specific peptide corresponding to residues surrounding Ser927 of human NFKB-p50
Reactivity:	Hu, Ms
Applications:	WB 1:1000
Molecular Weight:	104 kDa
Purification:	Affinity purification

Background: This gene encodes a 105 kD protein which can undergo cotranslational processing by the 26S proteasome to produce a 50 kD protein. The 105 kD protein is a Rel protein-specific transcription inhibitor and the 50 kD protein is a DNA binding subunit of the NF-kappa-B (NFKB) protein complex. NFKB is a transcription regulator that is activated by various intra- and extra-cellular stimuli such as cytokines, oxidant-free radicals, ultraviolet irradiation, and bacterial or viral products. Activated NFKB translocates into the nucleus and stimulates the expression of genes involved in a wide variety of biological functions. Inappropriate activation of NFKB has been associated with a number of inflammatory diseases while persistent inhibition of NFKB leads to inappropriate immune cell development or delayed cell growth. Two transcript variants encoding different isoforms have been found for this gene.

Form:	liquid
Buffer:	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Storage:	Store at -20° C. Avoid freeze / thaw cycles.



Western Blot Analysis: of extract of HeLa cells using Phspho-NfkB-p50-S397 antibody Lane 1 : HL60 cell lysate Lane 2 : Lysate of HL60 cells treated with TNF alpha

**For Research use only
IMMUNOLOGICAL SCIENCES**