

Cat. No:	MABN87643
Conjugate:	Unconjugated
Size:	100µL
Clone:	Monoclonal
Concentration:	1mg/ml
Host:	Rabbit
Isotype:	IgG
Immunogen:	A synthetic peptide of mouse UCP1
Reactivity:	Mouse,Rat
Applications:	WB 1:500-1:2000,IHC 1:200-1:1000,IP 1:20-1:50
Molecular Weight:	Calculated MW:33 kDa; Observed MW:33 kDa
Purification:	Affinity Purification
Synonyms:	Ucp; Slc25a7
Background:	Enables long-chain fatty acid binding activity; oxidative phosphorylation uncoupler activity; and purine ribonucleotide binding activity. Involved in several processes, including cellular response to cold; diet induced thermogenesis; and positive regulation of cold-induced thermogenesis. Acts upstream of or within brown fat cell differentiation and regulation of transcription by RNA polymerase II. Located in mitochondrial inner membrane. Is expressed in several structures, including adipose tissue; adrenal gland; submandibular gland; testis; and thymus. Human ortholog(s) of this gene implicated in hypertension and type 2 diabetes mellitus. Orthologous to human UCP1 (uncoupling protein 1). [provided by Alliance of Genome Resources, Apr 2022]
Form:	Liquid
Buffer:	Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% BSA. Stable for 12 months from date of receipt.
Storage:	Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles.

**For Research use only
IMMUNOLOGICAL SCIENCES**