

<b>Cat. No:</b>	MABN84533
<b>Conjugate:</b>	Unconjugated
<b>Size:</b>	100µL
<b>Clone:</b>	Monoclonal
<b>Concentration:</b>	1mg/ml
<b>Host:</b>	Rabbit
<b>Isotype:</b>	IgG
<b>Immunogen:</b>	A synthesized peptide derived from human VAV1
<b>Reactivity:</b>	Human
<b>Applications:</b>	WB 1:1000-1:2000,ICC 1:50-1:200,FC 1:20-1:100,IP 1:20-1:50
<b>Molecular Weight:</b>	Calculated MW: 98,101 kDa ; Observed MW: 98 kDa
<b>Purification:</b>	Affinity Purification
<b>Synonyms:</b>	p95; p95vav; Protein vav 1; Protein vav 2; Protein vav 3; VAV; vav-T;;VAV1/2/3
<b>Background:</b>	Couples tyrosine kinase signals with the activation of the Rho/Rac GTPases, thus leading to cell differentiation and/or proliferation.
<b>Form:</b>	Liquid
<b>Buffer:</b>	Purified antibody in PBS with 0.05% sodium azide,0.05% BSA and 50% glycerol.
<b>Storage:</b>	Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles.

**For Research use only  
IMMUNOLOGICAL SCIENCES**