

Cat. No:	MAB-94757
Conjugate:	Unconjugated
Size:	100 ug
Clone:	ARC0187
Concentration:	1mg/ml
Host:	Rabbit
Isotype:	IgG
Immunogen:	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human VDAC1
Reactivity:	Hu, Ms ,Rt
Applications:	<div> <div>Western Blot</div> <div>1:500 - 1:2000</div> </div> <div> <div>Immunohistochemistry</div> <div>1:50 - 1:200</div> </div> <div> <div>Immunofluorescence</div> <div>1:50 - 1:200</div> </div> <div> <div>Immunocytochemistry</div> <div>1:50 - 1:200</div> </div>
Molecular Weight:	31 kDa
Purification:	Aff. Pur.
Synonyms:	PORIN;VDAC-1;VDAC1;VDAC1 / Porin
Background:	<p>This gene encodes a voltage-dependent anion channel protein that is a major component of the outer mitochondrial membrane. The encoded protein facilitates the exchange of metabolites and ions across the outer mitochondrial membrane and may regulate mitochondrial functions. This protein also forms channels in the plasma membrane and may be involved in transmembrane electron transport. Alternate splicing results in multiple transcript variants. Multiple pseudogenes of this gene are found on chromosomes 1, 2 3, 6, 9, 12, X and Y.</p>
Form:	Liquid
Buffer:	PBS with 0.02% sodium azide,0.05% BSA,50% glycerol,pH7.3.
Storage:	Store at -20°C. Avoid freeze / thaw cycles

For Research use only
IMMUNOLOGICAL SCIENCES