

Product name:	9G8 Rabbit Polyclonal Antibody
Cat number:	ABN06351
Conjugate:	Unconjugated
Size:	100µL
Clone:	Polyclonal
Concentration:	1mg/ml
Host:	Rabbit
Isotype:	IgG
Immunogen:	The antiserum was produced against synthesized peptide derived from human SFRS7. AA range:61-110
Reactivity:	Human,Mouse
Applications:	WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:20000-1:40000
Molecular Weight:	35kDa
Purification:	Affinity purification
Form:	Liquid
Buffer:	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% New type preservative N.
Storage:	Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles.
Background:	The protein encoded by this gene is a member of the serine/arginine (SR)-rich family of pre-mRNA splicing factors, which constitute part of the spliceosome. Each of these factors contains an RNA recognition motif (RRM) for binding RNA and an RS domain for binding other proteins. The RS domain is rich in serine and arginine residues and facilitates interaction between different SR splicing factors. In addition to being critical for mRNA splicing, the SR proteins have also been shown to be involved in mRNA export from the nucleus and in translation. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Sep 2010],alternative products:Isoforms, often lacking the RS domain and differentially expressed in fetal tissues, may be involved in modulation of 9G8 function,function:Required for pre-mRNA splicing. Can also modulate alternative splicing in vitro.,PTM:Extensively phosphorylated on serine residues in the RS domain.,similarity:Belongs to the splicing factor SR family.,similarity:Contains 1 CCHC-type zinc finger.,similarity:Contains 1 RRM (RNA recognition motif) domain.,subunit:Found in large molecular weight complexes containing CCNL1 and the p110 isoforms of either CDC2L1 or CDC2L2. Interacts with CCNL2 and CPSF6.,tissue specificity:Brain, liver, kidney and lung.,