

|                          |                                                                                                                                                                                              |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product name:</b>     | TRAF6 (6S7) Rabbit Monoclonal Antibody                                                                                                                                                       |
| <b>Cat number:</b>       | MABN19188                                                                                                                                                                                    |
| <b>Conjugate:</b>        | Unconjugated                                                                                                                                                                                 |
| <b>Size:</b>             | 100µL                                                                                                                                                                                        |
| <b>Clone:</b>            | Monoclonal                                                                                                                                                                                   |
| <b>Concentration:</b>    | 1mg/ml                                                                                                                                                                                       |
| <b>Host:</b>             | Rabbit                                                                                                                                                                                       |
| <b>Isotype:</b>          | IgG                                                                                                                                                                                          |
| <b>Immunogen:</b>        | A synthetic peptide of human TRAF6                                                                                                                                                           |
| <b>Reactivity:</b>       | Human, Mouse, Rat                                                                                                                                                                            |
| <b>Applications:</b>     | WB 1:1000-1:5000, FC 1:50-1:100                                                                                                                                                              |
| <b>Molecular Weight:</b> | 60kDa                                                                                                                                                                                        |
| <b>Purification:</b>     | Affinity purification                                                                                                                                                                        |
| <b>Form:</b>             | Liquid                                                                                                                                                                                       |
| <b>Buffer:</b>           | Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle. |
| <b>Storage:</b>          | Store at 4°C short term. Aliquot and store at -20°C for 12 months. Avoid freeze/thaw cycles.                                                                                                 |

**Background:**

TRAFs (TNF receptor-associated factors) are a family of multifunctional adaptor proteins that bind to surface receptors and recruit additional proteins to form multiprotein signaling complexes capable of promoting cellular responses. Members of the TRAF family share a common carboxy-terminal TRAF domain which mediates interactions with associated proteins; many also contain amino-terminal Zinc/RING finger motifs. E3 ubiquitin ligase that, together with UBE2N and UBE2V1, mediates the synthesis of 'Lys-63'-linked-polyubiquitin chains conjugated to proteins, such as IKBKG, IRAK1, AKT1 and AKT2 (PubMed:11057907, PubMed:18347055, PubMed:19713527, PubMed:19465916). Also mediates ubiquitination of free/unanchored polyubiquitin chain that leads to MAP3K7 activation (PubMed:19675569). Leads to the activation of NF-kappa-B and JUN (PubMed:16378096, PubMed:17135271). Seems to also play a role in dendritic cells (DCs) maturation and/or activation (By similarity). Represses c-Myb-mediated transactivation, in B-lymphocytes (PubMed:18093978, PubMed:18758450). Adapter protein that seems to play a role in signal transduction initiated via TNF receptor, IL-1 receptor and IL-17 receptor (PubMed:8837778, PubMed:19825828, PubMed:12140561). Regulates osteoclast differentiation by mediating the activation of adapter protein complex 1 (AP-1) and NF- kappa-B, in response to RANK-L stimulation (By similarity). Together with MAP3K8, mediates CD40 signals that activate ERK in B-cells and macrophages, and thus may play a role in the regulation of immunoglobulin production (By similarity).