



IMMUNOLOGICAL SCIENCES

Dear Valued Customer,

Immunological Sciences is an innovative Biotech Company, specialized in the production of Monoclonal and Polyclonal Antibodies for Life Sciences Research.

Immunological Sciences has acquired diversified know-how in the past years and has a long and productive cooperation with advanced Research Centers both with Italian and international Universities. These types of collaboration were created with one major goal: to produce reliable, high quality products to be utilized in the immunological sector. In the early years, our company concentrated on the creation of antibodies against Adhesion Molecules, and this is, to date, our core-business. Furthermore we have developed new and differentiated products which range from Apoptosis and Signal Transduction to Neurobiology.

We hope that you'll continue to support this field of research. Our pledge is to assure high quality products, competitive pricing and technical support. We also hope you'll find this new catalogue useful and look forward in receiving your comments.

Species

All Species

Amphibia: Amphibia
Av: Avian
Bov: Bovine
Ca: Canine
Calf: Calf
Camel: Camel
Carp: Carp
Cat: Cat
Ch: Chicken
Cow: Cow
Dg: Dog
Eq: Equine
Fe: Feline
Fish: Fish
Gp: Guinea Pig
Gt: Goat
Ha: Hamster
Hr: Horse
Hu: Human
Insect: Insect
Liz: Lizard
Mamm: Mammalian
Mk: Monkey
Ms: Mouse
Non Hu Pr: Non Human Primates
Not Det.: Not Determined
Op: Opossum
Ov: Ovine
Pig: Pig
Plants: Plants
Pm: Primate
Pr: Porcine
Prot: Protozoa
Qu: Quail
Rb: Rabbit
RhMk: Rhesus Monkey
Rodent/Rdt: Rodent
Rt: Rat
Sal: Salmon
Sh: Sheep
Sn: Snake
Sw: Swine
Xe: Xenopus
Ye: Yeast
ZbF: Zebra Fish

Applications

AGG: Agglutination
BLK: Blocking
CELC: Cell Culture
COAT: Coating
CTR: Control Experiment
EL: Electrophoresis
ELISA: ELISA
EM: Electron Microscopy
FA/FUNC: Functional Application
FC/FACS: Flow Cytometry
ICC: ImmunoCytoChemistry
IF: ImmunoFluorescence
IHC(F): ImmunoHistoChemistry (Frozen sections)
IHC(P): ImmunoHistoChemistry (Paraffin sections)
IHC: ImmunoHistoChemistry
Int.St.: Intracellular Staining
In Vivo
IP: ImmunoPrecipitation
LB/LBS: Ligand Binding Studies
Neut.: Neutralization
RIA: RadiImmunoAssay
STIM: Stimulation
WB(nr): Western Blotting (not reported)
WB: Western Blotting

NEUROBIOLOGY ANTIBODIES

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|--|------|-------|---------|------------------|--------------------------------------|--------|---------|
| AB-J3471 | AChE | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3472 | AChE | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3473 | ACHG | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3474 | Acetylcholine Receptor Alpha 1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3475 | Acetylcholine Receptor Alpha 1 | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3476 | Acetylcholine Receptor Alpha 10 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3477 | Acetylcholine Receptor Alpha 3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3478 | Acetylcholine Receptor Alpha 5 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt,Mk | 100ug | 295 |
| AB-J3479 | Acetylcholine Receptor Alpha 7 | Rb | POLY | IgG | WB; ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3480 | Acetylcholine Receptor Alpha 9 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3481 | Acetylcholine Receptor Beta1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94765 | Actin alpha-Smooth Muscle | Ms | 11M5 | IgG1 | WB, IHC(P) | Hu, Ms, Rt | 100 ug | 295 |
| MAB-94813 | Actin beta | Ms | 3F5 | IgG | WB, IHC, IF | Hu,Ms,Rt, Mk, Dg, Ch, Ha, Rb, Pg, Sh | 100 ug | 295 |
| MAB-94814 | Actin beta (HRP) | Ms | 4PA | IgG | WB | Hu,Ms,Rt, Mk, Dg, Ch, Ha, Rb, Ins | 100 ug | 295 |
| MAB-94791 | Actin skeletal muscle alpha | Ms | 13P | IgG1 | WB, IHC | Hu,Ms,Rt | 100 ug | 295 |
| AB-J3613 | ADR1 | Rb | POLY | IgG | WB | Hu, Ms | 100ug | 295 |
| AB-J3614 | ADR2 | Rb | POLY | IgG | WB | Hu, Ms | 100ug | 295 |
| AB-J3615 | Adrenocorticotropin(ACTH) | Rb | POLY | IgG | IHC;IF;WB | Hu, Ms, Rt | 100ug | 295 |
| AB-J3713 | ALDH1A1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3714 | ALDH1A2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3715 | ALDH1B1 | Rb | POLY | IgG | WB;ELISA | Hu,Mk | 100ug | 295 |
| MAB-94074 | ALDH1L1 | Ms | 2E7 | IgG1 | WB, ICC, IF, IHC | Hu,Ho, Cw, Pg,Ch, Rt, Ms | 100 ug | 295 |
| MAB-94686 | ALDH1L1 | Ms | 4A12 | IgG2b | WB, ICC, IF, IHC | Hu, Ms, Rt | 100 ul | 295 |
| AB-82373 | ALDH1L1 | Rb | POLY | IgG | WB, ICC IF, IHC | Hu,Ms,Rt, Ho, Cw, Pg, Ch | 100 ug | 295 |
| AB-J3716 | ALDH2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3717 | ALDH3A1 | Rb | POLY | IgG | WB;ELISA | Hu,Rt | 100ug | 295 |
| AB-J3718 | ALDH3B1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3719 | Aldolase A | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3720 | Aldolase B | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|--------------------------------------|------|-------|---------|---------------------|--------------------------|--------|---------|
| AB-J3721 | Aldolase C | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94076 | Aldolase C (CT) | Ms | 1A1 | IgG1 | WB, ICC, IF, IHC | Hu,Ho, Cw, Pg,Ch, Rt, Ms | 100 ug | 295 |
| MAB-94077 | Aldolase C (NT) | Ms | 4A9 | IgG1 | WB, ICC IF, IHC | Hu,Ms,Rt, Ho, Cw, Pg, Ch | 100 ug | 295 |
| MAB-94075 | Aldolase C full-length | Ms | E9 | IgG1 | WB, ICC, IF, IHC | Hu,Ho, Cw, Pg,Ch, Rt, Ms | 100 ug | 295 |
| AB-J3722 | Aldose Reductase | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Rt | 100ug | 295 |
| MAB-94078 | Amyloid Aβ | Ms | AB9 | IgG1 | WB, ICC IF, IHC | Hu,Ms,Rt, Ho, Cw, Pg, Ch | 100 ug | 295 |
| AB-J3803 | Amyloid-β | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3804 | Amyloid-β | Rb | POLY | IgG | IF;WB;IHC;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3805 | Amyloid-β | Rb | POLY | IgG | WB; IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3858 | ANPRA | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3859 | ANPRB | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3930 | APLP-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| MAB-94385 | Arrestin-1 | Ms | S128 | IgG1 | WB, IF, ICC | Hu Rt Ms,Cw, Pg | 100 ug | 295 |
| AB-J4065 | Arrestin-β-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Mk | 100ug | 295 |
| AB-J4066 | Arrestin-β-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4064 | Arrestin-C | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4132 | ASTL | Rb | POLY | IgG | WB | Hu, Ms | 100ug | 295 |
| AB-J4153 | Ataxin-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J4154 | Ataxin-2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4155 | Ataxin-2L | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4156 | Ataxin-7L1 | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J4308 | BACE 1 | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4309 | BACE 1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-10362 | BACE1 | Rb | POLY | IgG | WB, IHC ,IP | Hu, Ms, Rt | 100 ug | 295 |
| AB-J4310 | BACE2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4389 | BDNF | Rb | POLY | IgG | WB; ELISA | Ms,Rt | 100ug | 295 |
| AB-83595 | BDNF (Mature Form) | Rb | POLY | IgG | WB, IHC(P) ,IF ,ICC | Hu, Ms, Rt | 100 ug | 295 |
| AB-83902 | Calbindin D28K | Ch | POLY | IgY | WB, IF, ICC, IHC | Hu Rt Ms,Cw, Pg | 100 ug | 295 |
| MAB-94138 | Calbindin D28K | Ms | 4H7 | IgG1 | WB, ICC, IF, IHC(F) | Hu,Ms,Rt, Cw, Ho, Pg, Ch | 100 ug | 295 |
| AB-J4700 | Calbindin D28K | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|-------------------------------------|------|-------|---------|------------------|-----------------------------|--------|---------|
| AB-J4703 | Calcitonin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4706 | Calcitonin receptor | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4707 | Caldesmon | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4708 | Caldesmon | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4715 | Calmodulin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4716 | Calnexin | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4717 | Calnexin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94386 | Calreticulin | Ms | 6C6 | IgG1 | WB, IF, ICC, IHC | Hu Rt Ms,Cw, Mk, Ho, Dg, Pg | 100 ug | 295 |
| AB-J4727 | Calreticulin | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100ug | 295 |
| AB-J4728 | Calreticulin Rb | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100ug | 295 |
| AB-83408 | Calretinin | Rb | POLY | IgG | WB, IF, ICC, IHC | Hu, Eq, Cw, Pg, Ck, Rt, Ms | 100 ug | 295 |
| MAB-94387 | Calretinin | Ms | 3G9 | IgG1 | WB, IF, ICC, IHC | Hu Rt Ms,Cw, | 100 ug | 295 |
| AB-83903 | Calretinin | Ch | POLY | IgY | WB, IF, ICC, IHC | Ms,Rt Cw, | 100 ug | 295 |
| AB-J4729 | Calretinin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J83568 | Cannabinoid Receptor 1 / CB1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt,Mk | 100ug | 295 |
| AB-J83569 | Cannabinoid Receptor 2 / CB2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4844 | Cav pan α1 | Rb | POLY | IgG | IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4845 | Cav pan α1 | Rb | POLY | IgG | IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J4846 | Cav β3 | Rb | POLY | IgG | WB, IHC | Rt, Ms | 100ug | 295 |
| AB-J4847 | Cav γ2 | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4848 | Cav γ3 | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4849 | Cav γ4 | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4850 | Cav γ5 | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4851 | Cav1.2 | Rb | POLY | IgG | IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4852 | Cav1.2 | Rb | POLY | IgG | IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J4853 | Cav1.3 | Rb | POLY | IgG | IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4854 | Cav1.3 | Rb | POLY | IgG | IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J4855 | Cav2.2 | Rb | POLY | IgG | IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4856 | Cav2.2 | Rb | POLY | IgG | IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J4857 | Cav3.2 | Rb | POLY | IgG | IHC | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|----------------------------|------|---------|---------|-------------------------------|----------------------------|--------|---------|
| AB-J4858 | Cav3.2 | Rb | POLY | IgG | IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J4859 | Cav3.3 | Rb | POLY | IgG | IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4860 | Cav3.3 | Rb | POLY | IgG | IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J4861 | Caveolin-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J4862 | CaVa251 | Rb | POLY | IgG | WB, IHC | Rt | 100ug | 295 |
| AB-J4863 | CaVa251 | Rb | POLY | IgG | WB;IHC;IF | Rt | 100ug | 295 |
| AB-J4864 | CaVa252 | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J4865 | CaVa252 | Rb | POLY | IgG | WB;IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J4866 | CaVa253 | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| AB-J4867 | CaVa253 | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| AB-81337 | CD107a / LAMP1 | Rb | POLY | IgG | WB,IHC(P), IF | Hu,Ms,Rt | 100 µg | 295 |
| AB-J5045 | CD11b | Rb | POLY | IgG | IHC;IF;mult-IHC;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94580 | CD11b | Rt | M1/70 | IgG2b | FC, IHC(P), IHC(F) , IF | Ms | 100 ug | 250 |
| AB-84364 | CD11B (OX-42) | Ch | POLY | IgY | WB, IHC | Hu, Ms | 100 ug | 275 |
| MAB-94456 | CD11b/c | Ms | OX-42 | IgG2a | FC, IHC(P), IHC(F) | Rt | 100 ug | 250 |
| AB-J5049 | CD133 (Prominin 1) | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| MAB-94376 | CD133 (Prominin 1) | Ms | AC.133 | IgG1 | FC, ICC, IHC (P), IHC (F), WB | Hu | 100 ug | 195 |
| AB-81847 | CD146 | Rb | POLY | IgG | WB, IHC(P) | Hu, Ms, Rt | 100 ug | 295 |
| AB-J5201 | CD56 (N-CAM) | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-10060 | CD56 (N-CAM) | Ms | MEM-188 | IgG2a | FC, IP, IHC(P) | Hu | 100 ug | 195 |
| AB-90239 | CD56 (N-CAM) | Rb | POLY | IgG | IF ,WB, IHC(P), | Hu, Ms, Rt | 100 ug | 295 |
| AB-84755 | CD68 | Rb | POLY | IgG | WB, IHC(P), IF | Hu | 100 ug | 295 |
| MAB-90973 | CD68 | Rt | FA-11 | IgG2a | FC ,WB, IHC(F), IP | Ms | 50 ug | 250 |
| AB-81775 | CD68 | Rb | POLY | IgG | WB, IHC(P) | Hu, Ms | 100 ug | 295 |
| MAB-94857 | CD68 | Ms | 6F8 | IgG | IHC | Hu,Ms,Rt | 100 ug | 295 |
| AB-J5431 | c-Fms | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-82501 | C-Fos | Rb | Poly | IgG | WB, , IHC (P) | Hu, Eq, Cw, Pg, Ck, Rt, Ms | 100 ug | 295 |
| MAB-94083 | C-Fos | Ms | 2H2 | IgG1 | WB, IHC(F),IF | Hu, Ho, Cw, Pg, Rt, Ms | 100 ug | 295 |
| AB-83366 | C-Fos | Rb | Poly | IgG | WB, IF, ICC, IHC | Hu, Ho, Cw, Pg, Rt, Ms | 100 ug | 360 |
| MAB-94083 | C-Fos | Ms | 2H2 | IgG1 | WB, IF,ICC, IHC | Hu, Ho, Cw, Pg, Rt, Ms | 100 ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|--|------|-------|---------|-------------------------------|------------|--------|---------|
| MAB-94860 | c-Fos | Ms | 2H3 | IgG | WB, IHC | Hu,Ms,Rt | 100 ug | 295 |
| AB-J5432 | c-Fos | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J5433 | c-Fos | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J5434 | c-Fos | Rb | POLY | IgG | IF;WB;IHC;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J5435 | CFTR | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-84238 | Choline Acetyltransferase (ChAT) | Rb | POLY | IgG | WB, IHC(F), IHC(P), IP, IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-J10046 | Cholinergic receptor, muscarinic 1 (CHRM1) | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-11204 | Cholinergic receptor, muscarinic 1 (CHRM1) | Rb | POLY | IgG | WB, ICC, IHC | Hu, Ms, Rt | 100 ul | 360 |
| AB-11197 | Cholinergic receptor, muscarinic 2 (CHRM2) | Rb | POLY | IgG | WB, ICC, IHC, ELISA | Hu, Ms, Rt | 100 ul | 360 |
| AB-J10047 | Cholinergic receptor, muscarinic 2 (CHRM2) | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-11198 | Cholinergic receptor, muscarinic 3 (CHRM3) | Rb | POLY | IgG | WB, ICC, IHC, ELISA | Hu, Ms, Rt | 100 ul | 360 |
| AB-11199 | Cholinergic receptor, muscarinic 4 (CHRM4) | Rb | POLY | IgG | WB, ICC, IHC, ELISA | Hu, Ms, Rt | 100 ul | 360 |
| AB-J10048 | Cholinergic receptor, muscarinic 4 (CHRM4) | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J10049 | Cholinergic receptor, muscarinic 5 (CHRM5) | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-11200 | Cholinergic receptor, muscarinic 5 (CHRM5) | Rb | POLY | IgG | WB, ICC, IHC, ELISA | Hu, Ms, Rt | 100 ul | 360 |
| AB-90214 | Cholinergic receptor, nicotinic A1 (CHRNA1) | Rb | POLY | IgG | WB, IHC(P), IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-83519 | Cholinergic receptor, nicotinic A10 (CHRNA10) | Rb | POLY | IgG | WB, | Hu | 100 ug | 295 |
| AB-J3466 | Cholinergic receptor, nicotinic A2 (CHRNA2) | Rb | POLY | IgG | WB | Hu, Ms,Rt | 100ug | 295 |
| AB-10399 | Cholinergic receptor, nicotinic A3 (CHRNA3) | Rb | POLY | IgG | WB, IHC(P) | Hu, Ms, Rt | 100 ug | 295 |
| AB-84249 | Cholinergic receptor, nicotinic A3 (CHRNA3) | Rb | POLY | IgG | WB, IF, ICC | Hu, Ms, Rt | 100 ul | 360 |
| AB-11685 | Cholinergic receptor, nicotinic A4 (CHRNA4) | Rb | POLY | IgG | WB, ELISA, ICC | Hu, Ms, Rt | 100 ul | 360 |
| AB-J3467 | Cholinergic receptor, nicotinic A4 (CHRNA4) | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-10400 | Cholinergic receptor, nicotinic A5 (CHRNA5) | Rb | POLY | IgG | WB, IHC(P) | Hu, Ms, Rt | 100 ug | 295 |
| AB-84250 | Cholinergic receptor, nicotinic A5 (CHRNA5) | Rb | POLY | IgG | WB, IF, ICC | Hu, Ms, Rt | 100 ul | 360 |
| AB-J3468 | Cholinergic receptor, nicotinic A6 (CHRNA6) | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-11686 | Cholinergic receptor, nicotinic A7 (CHRNA7) | Rb | POLY | IgG | WB, ICC | Hu, Ms, Rt | 100 ul | 360 |
| AB-10408 | Cholinergic receptor, nicotinic A7 (CHRNA7) | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100 ug | 295 |
| AB-10706 | Cholinergic receptor, nicotinic A9 (CHRNA9) | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100 ug | 295 |
| AB-82370 | Cholinergic receptor, nicotinic B1 (CHRN1) | Rb | POLY | IgG | WB, IHC(P) | Hu, Ms, Rt | 100 ug | 295 |
| AB-11687 | Cholinergic receptor, nicotinic B2 (CHRN2) | Rb | POLY | IgG | WB, IF, ICC | Hu, Ms, Rt | 100 ul | 360 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|---|------|-------|---------|-------------------------|------------------|--------|---------|
| AB-12084 | Cholinergic receptor, nicotinic B2 (CHRN2) | Rb | POLY | IgG | WB, IHC(P) | Hu, Ms, | 100 ug | 295 |
| AB-84251 | Cholinergic receptor, nicotinic B3 (CHRN3) | Rb | POLY | IgG | WB, IF, ICC | Hu, Ms, Rt | 100 ul | 360 |
| AB-J3469 | Cholinergic receptor, nicotinic B3 (CHRN3) | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J3470 | Cholinergic receptor, nicotinic B4 (CHRN4) | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-84252 | Cholinergic receptor, nicotinic B4 (CHRN4) | Rb | POLY | IgG | WB, IF, ICC | Hu, Ms, Rt | 100 ul | 360 |
| AB-10405 | Cholinergic receptor, nicotinic D (CHRN4) | Rb | POLY | IgG | WB, IHC | Hu, Ms | 100 ug | 295 |
| AB-10705 | Cholinergic receptor, nicotinic E (CHRN5) | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100 ug | 295 |
| AB-J5508 | CHRN15 | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-83793 | Chromogranin A | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J5851 | CNGA3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J5852 | CNGB3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94094 | CNPase | Ms | 11-5B | IgG1 | WB, ELISA, IHC, IHC(P) | Hu,Ms,Rt | 100 ul | 295 |
| AB-83239 | CNPase | Rb | POLY | IgG | WB, IHC (f) , IF IHC(P) | Hu, Ms, Rt | 100 ug | 295 |
| AB-J5867 | CNPase | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB- 83241 | CNPase | Ch | POLY | IgY | WB, ICC/IF, IHC | Hu, Ms, Rt | 100 ug | 295 |
| AB-84731 | CNPase | Gt | POLY | IgG | WB, ICC/IF, IHC | Hu,Ms,Rt, Co, Pg | 100 ug | 295 |
| AB-J5999 | CORA1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-83904 | Coronin 1a | Rb | POLY | IgG | WB, IF, ICC, IHC | Hu Rt Ms,Cw, Pg | 100 ug | 295 |
| AB-J6481 | DARPP-32 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J6697 | DLX1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J6698 | Dlx-2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J6699 | Dlx-3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J6700 | Dlx-4 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J6701 | Dlx-5 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-82519 | Dopamine Beta Hydroxylase (DBH) | Rb | POLY | IgG | WB | Hu, Ms | 100ug | 295 |
| AB-84391 | Dopamine Beta Hydroxylase (DBH) | Rb | POLY | IgG | WB ,IHC ,IF | Hu, Ms, Rt | 100ug | 295 |
| AB-83411 | Dopamine Decarboxylase (DDC) | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100 ug | 295 |
| AB-90204 | Dopamine Receptor D1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-84253 | Dopamine Receptor D1 | Rb | POLY | IgG | WB, IF, ICC | Hu,Ms,Rt | 100 ul | 320 |
| AB-82294 | Dopamine Receptor D2 | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100 ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|--|------|--------|---------|---------------------------|--------------------------|--------|---------|
| AB-11173 | Dopamine Receptor D2 | Rb | POLY | IgG | IHC, ICC, WB | Hu,Ms,Rt | 100 ul | 320 |
| AB-11177 | Dopamine Receptor D2L | Rb | POLY | IgG | IHC, ICC, WB | Hu,Ms,Rt | 100 ul | 320 |
| AB-11174 | Dopamine Receptor D2S | Rb | POLY | IgG | IHC, ICC, WB | Hu,Ms,Rt | 100 ul | 320 |
| AB-84254 | Dopamine Receptor D3 | Rb | POLY | IgG | WB, IF, ICC | Hu,Ms,Rt | 100 ul | 320 |
| AB-83459 | Dopamine Receptor D3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-83412 | Dopamine Receptor D4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-84255 | Dopamine Receptor D4 | Rb | POLY | IgG | WB, IF, ICC | Hu,Ms,Rt | 100 ul | 320 |
| AB-83465 | Dopamine Receptor D5 | Rb | POLY | IgG | WB, IF | Hu, Ms | 100 ug | 295 |
| AB-84256 | Dopamine Receptor D5 | Rb | POLY | IgG | WB, IF, ICC | Hu, Ms, Rt | 100 ul | 320 |
| AB-83373 | Dopamine Transporter | Rb | POLY | IgG | WB, IHC, IP | Hu, Ms, Rt | 100 ul | 295 |
| AB-82520 | Dopamine Transporter Extracellular Loop 2 | Rb | POLY | IgG | WB | Rt, Ms, Hu, Dg, ZbF | 100 ul | 360 |
| AB-J6781 | Doublecortin | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J6782 | Doublecortin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94065 | Doublecortin | Ms | 7D1 | IgG2a | ICC IF, IHC, WB | Hu,Ms,Rt, Ct, Cow, Pg,Rb | 100 ug | 320 |
| MAB-94397 | Enolase alpha | Ms | 253 | IgG1 | WB, IF, ICC, IHC | Hu,Ms,Rt | 100 ug | 320 |
| AB-83895 | FABP4 | Rb | POLY | IgG | WB, IHC, IF | Hu, Ms, Rt | 100 ug | 295 |
| MAB-10423 | Fragile X Mental Retardation Protein (FMRP) | Ms | 1C3-1a | IgG1,k | WB, ELISA, IHC, ICC, (IP) | Hu, Ms | 100 ul | 465 |
| MAB-10485 | Frataxin | Ms | 1G2 | IgG1,k | WB | Hu | 100 ul | 395 |
| MAB-10876 | Frataxin | Ms | STR23 | IgG1,k | WB, ICC, IF, FC | Hu | 100 ug | 390 |
| AB-J7826 | GA45B | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J7833 | GAB4 | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100ug | 295 |
| AB-J7849 | GABA A Receptor α1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7834 | GABA A Receptor α2 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J7835 | GABA A Receptor α2 | Rb | POLY | IgG | WB;IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J7836 | GABA A Receptor α3 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J7837 | GABA A Receptor α3 | Rb | POLY | IgG | WB;IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J7838 | GABA A Receptor α4 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J7839 | GABA A Receptor α4 | Rb | POLY | IgG | WB;IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J7850 | GABA A Receptor α4 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-82513 | GABA A receptor alpha-5 | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100 ul | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|--|------|-------|---------|-----------------|---------------------------|--------|---------|
| AB-J7851 | GABA A receptor alpha-6 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7852 | GABA A receptor Beta 1 | Rb | POLY | IgG | IHC;IF;WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7853 | GABA A receptor Beta 2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-84230 | GABA A receptor Beta 3 | Rb | POLY | IgG | WB | Hu | 100 ul | 295 |
| AB-J7855 | GABA A receptor Delta | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7856 | GABA A receptor Eta | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7854 | GABA A receptor Gamma1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7840 | GABA A receptor Gamma2 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J7841 | GABA A receptor Gamma2 | Rb | POLY | IgG | WB;IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J7859 | GABA A receptor-ass.prot-like 2 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J7857 | GABA B Receptor 1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt,Guinea Pg | 100ug | 295 |
| AB-J7858 | GABA B Receptor 2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7842 | GABA B Receptor 2 | Rb | POLY | IgG | IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J7843 | GABA B Receptor 2 | Rb | POLY | IgG | IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J7844 | GABA T-1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7845 | GABA T-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7846 | GABA T-3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7847 | GABA Transporter 1 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J7848 | GABA Transporter 1 | Rb | POLY | IgG | WB;IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J7861 | GAD-65/67 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J7862 | GAD67 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7863 | GADD 45 gamma | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J7864 | GADD34 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J7879 | GALC | Rb | POLY | IgG | WB | Hu, Ms | 100ug | 295 |
| AB-J7880 | GALE | Rb | POLY | IgG | WB | Hu, Ms,Rt | 100ug | 295 |
| AB-J7881 | Galectin-1 | Rb | POLY | IgG | WB;ELISA | Hu,Rt,Deer | 100ug | 295 |
| AB-J7882 | Galectin-2 | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94100 | Galectin-3 | Ms | 5C21 | IgG | IgG1 | Hu, Ho,Cw, Pg, Ch, Rt, Ms | 100ug | 295 |
| AB-83907 | Galectin-3 | Rb | POLY | IgG | IgG | Hu Rt Ms,Pg | 100ug | 295 |
| AB-82806 | Galectin-3 | Rb | IgG | IgG | WB IHC, IF | Hu,Ms,Rt | 100 ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|---------------------------------------|------|-------|---------|------------------------------|--|--------|---------|
| AB-J7891 | GALANIN RECEPTOR 1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J7892 | GALANIN RECEPTOR 2 | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100ug | 295 |
| AB-J7893 | GALANIN RECEPTOR 2 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J7894 | GALANIN RECEPTOR 3 | Rb | POLY | IgG | WB;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| MAB-94087 | GAP43 | Ms | 1E3 | IgG1 | WB, ICC, IF, IHC | Hu, Ho,Cw, Pg, Ch, Rt, Ms | 100 ug | 295 |
| AB-82460 | GAP43 | Rb | POLY | IgG | WB, ICC, IF, IHC | Hu, Ho,Cw, Pg, Ch, Rt, Ms | 100 ug | 295 |
| AB-83908 | GAP43 | Ch | POLY | IgY | WB, IF, IHC | Hu Rt Ms,Cw, Pg, Ho, Ch, | 100 ug | 295 |
| AB-J7900 | GAP43 | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| AB-J7901 | GAP-43 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7899 | GAP43 | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| MAB-94918 | GAP43 | Ms | 9A3 | IgG | WB, IHC | Hu,Ms,Rt | 100 ug | 295 |
| MAB-94919 | GAPDH | Ms | 7B2 | IgG | WB, IHC, IF | Hu,Ms,Rt, Mk, Dg, Ch, Ha, Rb, Pg, Sh, Ins, Yeast | 100 ug | 295 |
| MAB-94920 | GAPDH(HRP Conjugated) | Ms | 3HA | IgG | WB | Hu,Ms,Rt, Mk, Dg, Ch, Ha, Rb, Pg, Sh, Ins, Yeast | 100 ug | 295 |
| AB-J7902 | GAPDH | Rb | POLY | IgG | WB, IHC, IF | Hu, Ms, Rt, Rb, Ch, Mk, Sh, Xenopus | 100ug | 295 |
| AB-J7903 | GAPDH | Rb | POLY | IgG | WB, IHC | Zebrafish | 100ug | 295 |
| AB-J7904 | GAPDH | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt, BacteriumMs | 100ug | 295 |
| MAB-94921 | GFAP | Ms | 26F | IgG | WB, IHC | Rt, Ms | 100 ug | 295 |
| MAB-12029 | GFAP | Ms | GA5 | IgG1 | WB, ICC, IF, IHC (F),IHC (P) | Hu, Pg, Ch, Rt, Ms | 100 ug | 295 |
| MAB-94749 | GFAP | Ms | 2A5 | IgG1 | WB, ICC, IF, IHC | Hu, Co, Pg | 100 ug | 295 |
| MAB-94750 | GFAP | Ms | GA-5 | IgG1 | WB, IHC(P), ICC, IP | Hu, Rt, Pg | 100 ug | 295 |
| MAB-94160 | GFAP | Ms | 5C10 | IgG1 | WB, IF, ICC, IHC | Hu, Ms, Rt, Cw, Pg, Ho | 100 ul | 295 |
| MAB-94373 | GFAP | Ms | G-A-5 | IgG | WB, ICC, IF, IHC (F),IHC (P) | Hu, Ms, Rt, Cw, Pg, Ho | 100 ug | 295 |
| AB-J8009 | GFAP | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-10678 | GFAP | Ch | POLY | IgY | WB, ICC, IF, IHC (F),IHC (P) | Hu, Ms, Rt, Ct, Mamm | 100 ul | 295 |
| AB-10682 | GFAP | Rb | POLY | IgG | WB, ICC, IHC (F) , IHC (P) | Hu, Ms, Rt, Ct, Mamm. | 100 ul | 295 |
| AB-84378 | GFAP | GT | POLY | IgG | WB, ICC, IHC (F) , IHC (P) | Hu, Ms, Rt, Ct, Mamm. | 100 ul | 295 |
| AB-J8097 | GLUT 1 (glucose transporter 1) | Rb | POLY | IgG | IF;WB;IHC;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-81834 | GLUT 2 (glucose transporter 2) | Rb | POLY | IgG | WB, IHC(P) | Hu, Ms,Rt | 100 ug | 295 |
| AB-84392 | GLUT 2 (glucose transporter 2) | Rb | POLY | IgG | WB, IF | Hu, Ms,Rt | 100 ug | 295 |
| AB-J8098 | GLUT 3 (glucose transporter 3) | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|----------|---|------|-------|---------|--------------------|------------|--------|---------|
| AB-J8099 | GLUT 4 (glucose transporter 4) | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J8100 | GLUT 5 (glucose transporter 5) | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-82205 | GLUT 8 (glucose transporter 8) | Rb | POLY | IgG | WB | Ms, Rt | 100 ug | 295 |
| AB-82207 | GLUT 9 (glucose transporter 9) | Rb | POLY | IgG | WB,IHC-P ,IF | Hu,Ms,Rt | 100 ug | 295 |
| AB-J8101 | Glutamate Receptor 1 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J8102 | Glutamate Receptor 1 | Rb | POLY | IgG | WB;IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J8091 | Glutamate Receptor 1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J8092 | Glutamate Receptor 2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-12722 | Glutamate Receptor 3 | Rb | POLY | IgG | WB,IHC-P ,IF | Hu,Ms,Rt | 100 ug | 295 |
| AB-J8093 | Glutamate Receptor 4 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J8094 | Glutamate Receptor 5 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J8331 | Glutamate Receptor 6 | Rb | POLY | IgG | IHC;IF | Hu | 100ug | 295 |
| AB-J8332 | Glutamate Receptor 6 | Rb | POLY | IgG | IHC | Hu | 100ug | 295 |
| AB-J8333 | Glutamate Receptor 7 | Rb | POLY | IgG | WB | Hu, Ms,Rt | 100ug | 295 |
| AB-J8334 | Glutamate Receptor KA1 | Rb | POLY | IgG | WB | Hu, Ms,Rt | 100ug | 295 |
| AB-J8335 | Glutamate Receptor KA2 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8095 | Glutamate receptor delta-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J8096 | Glutamate receptor delta-2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-82224 | Glutamate Transporter GLIA (GLAST /EAAT1) | Rb | POLY | IgG | WB, IHC(P) ,IHC(F) | Hu, Ms, Rt | 100 ug | 390 |
| AB-J6925 | Glutamate Transporter GLIA (GLAST /EAAT1) | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-82459 | Glutamate Transporter 2 (GLT1/EAAT2) | Rb | POLY | IgG | WB,IHC(P) | Hu, Ms, Rt | 100 ug | 390 |
| AB-J6926 | Glutamate Transporter 2 (GLT1/EAAT2) | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100ug | 295 |
| AB-J6927 | Glutamate Transporter 2 (GLT1/EAAT2) | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100ug | 295 |
| AB-J6928 | Glutamate Transporter neuronal (EAAC1/EAAT3) | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8064 | GLUTAMINE SYNTHETASE | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8336 | GRIN1 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8337 | GRIN2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8338 | GRIN2D | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8339 | GRIN3 | Rb | POLY | IgG | IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8340 | GRIP1 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|---|------|---------|---------|-----------------------------|------------------------|--------|---------|
| AB-J8341 | GRIP-1 | Rb | POLY | IgG | IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8342 | GRIP2 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8343 | GRK 1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8344 | GRK 2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8345 | GRK 3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8346 | GRK 4 | Rb | POLY | IgG | IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8347 | GRK 5 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8348 | GRK 6 | Rb | POLY | IgG | WB;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8349 | GRK 7 | Rb | POLY | IgG | WB;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8527 | HES1 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8528 | HES2 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8529 | HES3 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8530 | HES4 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8531 | HES5 | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J8532 | HES-6 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-82734 | HMOX1 (HO-1) | Rb | POLY | IgG | WB, IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-J8713 | HMOX2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-82735 | HMOX2 (HO-2) | Rb | POLY | IgG | WB, IF | Hu ,Ms | 100 ug | 295 |
| MAB-94596 | Huntingtin | Rb | D7F7 | IgG | WB, IHC, IF | Hu, Ms, Rt | 100 ug | 395 |
| AB-J8847 | Huntingtin | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J8846 | Huntingtin (Acetyl Lys442) | Rb | POLY | IgG | WB; ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94354 | Huntingtin Protein | Ms | EM48 | IgG1 | ELISA, WB, ICC, IHC | Hu | 100 ul | 495 |
| MAB-11047 | Huntingtin Protein (a.a. 181-810) | Ms | 1HU-4C8 | IgG1,k | ELISA, WB, IHC, ICC, IP | Ha, Hu, Mk, Ms, Rb, Rt | 100 ul | 465 |
| MAB-15858 | Huntingtin Protein (a.a. 1-82) | Ms | 5HU-2B4 | IgG1,k | ELISA, WB, ICC, IHC | Hu | 100 ul | 550 |
| MAB-94001 | Huntingtin Protein (a.a.115-129) | Ms | 1H6 | IgG1,k | ELISA,WB,ICC,IHC | Hu | 100 ul | 550 |
| MAB-11046 | Huntingtin Protein (a.a.1247-1646) | Ms | HU-4E6 | IgG2b | ELISA, WB, IHC, ICC, IP | Hu, Ms | 100 ul | 465 |
| MAB-10825 | Huntingtin Protein (a.a.2146-2541) | Ms | HU-2E8 | IgG1 | ELISA, WB, IHC, ICC | Hu, Mk | 100 ul | 465 |
| MAB-94741 | Huntingtin Protein (a.a.2683-2979) | Ms | 4HU-2C1 | IgG1,k | ELISA, WB, ICC | Hu | 100 ul | 495 |
| AB-83747 | IBA1 | Rb | POLY | IgG | WB, IHC(P), IHC(F), IF, ICC | Hu, Ms, Rt | 100 ul | 280 |
| AB-84416 | IBA1 | Ch | POLY | IgY | WB, IHC(P), IHC(F), IF, ICC | Hu, Ms, Rt | 100 ul | 280 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|---------------|------|----------|---------|----------------------------------|----------------|--------|---------|
| AB-84297 | IBA1 | Rb | POLY | IgG | WB, IF, IHC, ELISA | Hu, Ms, Rt | 100 ug | 295 |
| MAB-94785 | IBA1 | Rb | EPR16589 | IgG | WB, IF, ICC, IHC | Hu, Ms, Rt | 100 ug | 295 |
| AB-J8889 | Iba1 | Rb | POLY | IgG | WB;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| MAB-94399 | Ki-67 | Ms | 6B4 | IgG1 | WB, IF, IHC | Hu | 100 ug | 295 |
| MAB-94400 | Ki-67 | Ms | 6G3 | IgG1 | WB, IF, IHC | Hu | 100 ug | 295 |
| AB-83925 | Ki-67 | Ch | POLY | IgY | WB, IF, ICC | Hu, Ms, Rt, Mk | 100 ug | 295 |
| MAB-94668 | Ki-67 | Ms | 6G3 | IgG1 | WB, IF, IHC | Rt Ms | 100 ug | 295 |
| AB-90972 | Ki-67 | Rb | POLY | IgG | WB, IF, ICC, IHC (P), IHC (F) | Hu, Ms, Rt | 100 ug | 295 |
| AB-J9493 | Ki-67 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| MAB-94467 | KI-67 | Ms | Mib1 | IgG1 | IHC, WB, FC , ICC | Hu | 100 ul | 295 |
| AB-J9666 | KV1.1 | Rb | POLY | IgG | WB;ELISA;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J9665 | Kv1.1 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J9667 | Kv1.3 | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100ug | 295 |
| AB-J9668 | Kv1.3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J9669 | Kv1.5 | Rb | POLY | IgG | WB | Hu | 100ug | 295 |
| AB-J9670 | KV1.5 | Rb | POLY | IgG | WB;ELISA;IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J9671 | Kv1.8 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J9672 | Kv1.8 | Rb | POLY | IgG | WB;IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J9673 | Kv10.1 | Rb | POLY | IgG | IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J9674 | Kv10.1 | Rb | POLY | IgG | IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J9675 | Kv10.2 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J9676 | Kv10.2 | Rb | POLY | IgG | WB;IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J9677 | Kv11.1 | Rb | POLY | IgG | WB, IHC | Rt, Ms | 100ug | 295 |
| AB-J9678 | Kv11.1 | Rb | POLY | IgG | WB;IHC;IF | Rt,Ms | 100ug | 295 |
| AB-J9679 | Kv11.3 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J9680 | Kv11.3 | Rb | POLY | IgG | WB;IHC;IF | Hu, Ms, Rt | 100ug | 295 |
| AB-J9681 | KV115 | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100ug | 295 |
| AB-J9682 | KV124 | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100ug | 295 |
| AB-J9683 | KV125 | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100ug | 295 |
| AB-J9684 | Kv2.1 | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|------------|---------------------|------|--------|---------|----------------------------------|--------------------|--------|---------|
| AB-J9685 | KV2.1 | Rb | POLY | IgG | WB;ELISA;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J9686 | Kv2.1 | Rb | POLY | IgG | WB;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J9687 | KV3.1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J9688 | KV3.2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J9689 | Kv3.4 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Mk | 100ug | 295 |
| AB-J9690 | KV310 | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| AB-J9691 | KV4.1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J9692 | Kv4.2 | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J9693 | KV401 | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| AB-J9694 | KV8.2 | Rb | POLY | IgG | WB;IHC | Hu,Ms | 100ug | 295 |
| AB-J9695 | KV9.2 | Rb | POLY | IgG | WB;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J9696 | KVβ.3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J9697 | KVβ1 | Rb | POLY | IgG | IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J9698 | KVβ1 | Rb | POLY | IgG | IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J10115 | MAP1A | Rb | POLY | IgG | IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J10116 | MAP1B | Rb | POLY | IgG | IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| MABX-11452 | MAP-2a,b,c | Ms | SH2 | IgG1 | IF, WB, IHC(P) | Hu, Ms, Rt | 50 ug | 360 |
| MAB-83910 | MAP-2a,b,c,d | Ms | 2C4 | IgG1 | WB, IF, ICC, IHC | Hu Rt Ms | 100 ug | 295 |
| AB-J10117 | MAP-2ab | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-10745 | MAP-2ab | Ms | MT-07 | IgG1 | IP, WB, IHC, ICC, ELISA | Hu, Pr, Ms | 100 ug | 195 |
| MAB-10784 | MAP-2ab | Ms | AP20 | IgG1 | WB, IHC, ICC, ELISA | Hu, Pr, Ms | 100 ug | 195 |
| MAB-94098 | MAP-2ab | Ms | WB5H11 | IgG2b | WB, ICC, IF, IHC | Hu, Ms,Rt, Cw | 100 ug | 295 |
| MAB-94097 | MAP-2ab | Ms | 4H5 | IgG1 | WB, ICC, IF, IHC | Hu, Ms,Rt, Cw | 100 ug | 295 |
| MAB-10334 | MAP-2ab | Ms | MT-01 | IgG1 | IP, WB, IHC, ICC, ELISA | Hu, Pr, Ms, Bv, Fe | 100 ug | 195 |
| MAB-10746 | MAP-2ab | Ms | MT-08 | IgG1 | IP, WB, IHC, ICC, ELISA | Hu, Pr, Ms | 100 ug | 195 |
| AB-83851 | MAP-2ab | Gt | POLY | IgG | WB, IF, ICC, IHC | Hu, Ms, Rt | 100 ug | 295 |
| AB-10417 | MAP-2ab | Ch | POLY | IgY | WB, IHC(P), IHC(F), ICC, IF, EIA | Hu,Ms,Rt, Bv, Mamm | 50 ul | 330 |
| AB-83938 | MAP-2ab | Rb | POLY | IgG | WB, ICC, IF, IHC | Hu, Ms, Rt | 100 ug | 295 |
| MAB-94402 | MAP-Tau | Ms | WB5B10 | IgG1 | WB, ICC/IF, IHC | Hu Rt Ms,Cw | 100 ug | 295 |
| MAB-10514 | MAP-Tau | Ms | TAU-93 | IgG1 | WB, IF, ICC, IHC | Hu Rt Ms,Cw | 100 ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|------------|---|------|-------|---------|--------------------------------|----------------------------|-----------|---------|
| MAB-94089 | MAP-Tau | Ms | 2E9 | IgG1 | WB, IF, ICC, IHC | Hu, Ho, Cw, Pg, Ch, Rt, Ms | 100 ug | 295 |
| AB-83807 | MAP-Tau | Ch | POLY | IgG | WB, IF, ICC, IHC | Hu, Ms, Rt, Bo, Po, Ho | 100 ug | 280 |
| AB-83371 | MeCP2 | Rb | POLY | IgG | WB, ICC, IF, IHC | Hu, Ms, Rt | 100 ug | 295 |
| MAB-94284 | MeCP2 | Ms | 4F11 | IgG1 | WB, ICC, IF, IHC | Hu, Ms, Rt | 100 ul | 295 |
| AB-83909 | MeCP2 | Ch | POLY | IgY | WB, IF, IHC | Hu Rt Ms, Mk | 100 ug | 295 |
| MAB-94405 | MeCP2 | Ms | 5H12 | IgG2b | WB, IF, ICC, IHC | Hu, Ms, Rt, Ho, Dg, Cw, Mk | 100 ug | 295 |
| AB-J10244 | MeCP2 | Rb | POLY | IgG | WB | Hu | 100ug | 295 |
| AB-J10245 | MeCP2 | Rb | POLY | IgG | WB | Hu | 100ug | 295 |
| AB-J10294 | Melanopsin | Rb | POLY | IgG | WB;ELISA;IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J10336 | mGluR1 | Rb | POLY | IgG | IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-84770 | mGluR1 | Rb | POLY | IgG | WB, IHC, FC | Hu, Ms, Rt | 200 ug | 450 |
| AB-J10337 | mGluR2 | Rb | POLY | IgG | IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J10338 | mGluR-2/3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-83535 | mGluR3 | Rb | POLY | IgG | WB, IHC, IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-J10339 | mGluR-4 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J10340 | mGluR5 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J10341 | mGluR-6 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J10342 | mGluR7 | Rb | POLY | IgG | WB;ELISA;IHC | Hu, Ms, Rt | 100ug | 295 |
| AB-J10343 | mGluR-7 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| AB-J10344 | mGluR-8 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu, Ms, Rt | 100ug | 295 |
| MAB-94330Z | MHC Class II | Rt | OX6 | IgG2b | FC, IP, WB, IHC(P), IHC(F), FA | Ms | 100 ug | 295 |
| AB-J10480 | MOG /Myelin oligodendrocyte glycoprotein | Rb | POLY | IgG | WB;ELISA | Hu, Ms, Rt | 100ug | 295 |
| MAB-94594 | MOG /Myelin oligodendrocyte glycoprotein | Rb | POLY | IgG | WB, IHC(P), IF, ELISA | 100ug | Hu, Ms, R | 395 |
| AB-81354 | Myelin Associated Glycoprotein (MAG) | Rb | POLY | IgG | WB, IHC(P) | Hu, Ms, Rt | 100 ug | 360 |
| AB-82516 | Myelin basic protein | Rb | POLY | IgG | WB, IHC(P), IF | Hu, Ms, Rt | 100 ul | 295 |
| AB-84315 | Myelin basic protein | Rb | POLY | IgG | WB, IF/ICC, IHC, ELISA | Hu, Ms, Rt | 100 ug | 295 |
| MAB-10660 | Myelin basic protein | Ms | 7D2 | IgG1k | ICC IF, IHC, WB | Hu, Ms, Rt, Ct, Ch | 100 ug | 295 |
| MAB-94229 | Myelin basic protein | Ms | 7G7 | IgG1 | WB, IF, ICC, IHC | Hu, Ms, Rt, Cw, Pg, Ho | 100 ug | 295 |
| AB-83751 | Myelin basic protein | Ch | POLY | IgG | WB, IF/ICC, IHC | Hu, Ms, Rt, Cw, Pg, Ho | 100 ug | 295 |
| AB-84730 | Myelin basic protein | Gt | POLY | IgG | WB, IF/ICC | Hu, Ms, Rt, Co, Pg | 100 ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|--------------------------|------|---------|---------|--------------------------------|------------------|---------|---------|
| AB-84338 | NANOG | Rb | POLY | IgG | WB, IF | Hu,Ms | 100 ug | 290 |
| AB-J10966 | Nestin | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-10430 | Nestin | Ms | 10C2 | IgG1 | FC, IHC(P), ELISA, WB, IP, ICC | Hu | 100 ug | 330 |
| MAB-11004 | Nestin | Ms | Rat-401 | IgG1 | WB, ICC, IHC, IF | Ms, Rt | 100 ug | 295 |
| AB-10115 | Nestin | Rb | POLY | IgG | WB, ICC, IF | Hu | 100 uul | 295 |
| AB-10702 | Nestin | Ch | POLY | IgG | IF,ICC, IHC, WB | Hu, Ms,Rt | 100 ul | 295 |
| AB-84781 | Nestin | Rb | POLY | IgG | WB, IHC, IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-84800 | Nestin | Rb | POLY | IgG | WB, IHC(P), IF, ICC | Hu, Ms, Rt | 100 ug | 295 |
| MAB-90228 | NeuN-FOX3 | Ms | N/A60 | IgG1 | WB, ICC, IF, IHC(F), IHC(P) | Hu,Ms,Rt,Bov, Pr | 500 ug | 340 |
| MAB-94161 | NeuN-FOX3 | Ms | A60 | IgG1 | WB, ICC, IF, IHC(F), IHC(P) | Hu,Ms,Rt,Bov, Pr | 500ug | 340 |
| MAB-94416 | NeuN-FOX3 | Rb | D4G40 | IgG | WB, ICC, IF, IHC(F) | Hu, Ms, Rt | 100 UG | 295 |
| MAB-94417 | NeuN-FOX3 | Rb | D3S3I | IgG | WB, ICC, IF, IHC(F) | Hu, Ms, Rt | 100 ug | 295 |
| AB-81163 | NeuN-FOX3 | Rb | POLY | IgG | WB, ICC, IF, IHC(F) | Hu, Ms, Rt | 100 ul | 295 |
| AB-84292 | NeuN-FOX3 | Gt | POLY | IgG | WB, ICC, IF, IHC(F) | Hu, Ms, Rt | 100 ug | 270 |
| AB- 83750 | NeuN-FOX3 | Ch | POLY | IgY | WB, ICC, IF, IHC | Hu, Ms, Rt | 100 ul | 330 |
| AB-81704 | Neuregulin 1 | Rb | POLY | IgG | WB, IF, IHC | Hu, Ms, Rt | 100 ug | 295 |
| AB-82002 | Neuregulin 2 | Rb | POLY | IgG | WB | Hu, Ms, Rt | 100 ug | 360 |
| AB-83432 | Neuregulin 4 | Rb | POLY | IgG | WB, IHC(P) | Hu, Ms,Rt | 100 ul | 295 |
| AB-J10984 | Neuregulin-1 SMDF | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J10985 | Neuregulin-2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J10986 | Neuregulin-3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J10987 | Neurensin-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J10988 | Neurexin I | Rb | POLY | IgG | WB;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J10989 | Neurexin IIIβ | Rb | POLY | IgG | WB;ELISA;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J10990 | Neurexophilin-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J10991 | Neurexophilin-3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J10992 | Neurexophilin-4 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Rt | 100ug | 295 |
| AB-J10993 | Neuro D | Rb | POLY | IgG | WB;ELISA;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J10994 | Neuro D2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J10995 | Neurocalcin δ | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|------------|---|------|---------|---------|--------------------------|--|--------|---------|
| AB-J10996 | Neurocan | Rb | POLY | IgG | WB;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J10997 | Neurofibromin | Rb | POLY | IgG | WB;IHC | Hu,Ms,Rt | 100ug | 295 |
| MAB-94068 | Neurofilament 160 kD | Ms | RNF406 | IgG1 | WB, IHC(P), IHC(F) | Hu,Ms,Rt, Ct, Cow, Pg,Rb | 100 ug | 330 |
| MABX-10273 | Neurofilament 200 kD (Phosphos. and Nonphos.) | Ms | NF-200 | IgG1 | WB, IHC(P), IHC(F) | Hu, Ms, Rt | 100 ug | 360 |
| MAB-80125 | Neurofilament 68 kD | Ms | NF-68 | IgG1 | ICC IF, IHC, WB | Hu, Ms, Rt, Ct, Ch | 100 ug | 295 |
| AB-10685 | Neurofilament 68 kD | Rb | POLY | IgG | ICC IF WB IHC(P), IHC(F) | Hu,Ms,Rt, Ct, Cow, Pg,Rb | 100 ug | 295 |
| AB-82371 | Neurofilament 68 kD | Ch | POLY | IgG | ICC IF WB IHC(P), IHC(F) | Hu,Ms,Rt, Ch | 100 ug | 295 |
| MAB-94067 | Neurofilament 70 kD | Ms | 2F11 | IgG1 | WB, IHC(P), IHC(F) | Hu | 100 ug | 330 |
| MAB-94292 | Neurofilament Heavy (NF-H) | Ms | SMI402 | IgM | WB, ICC, IHC(P), IHC(F) | Hu, Ms, Rt, Ch, Cow, GP,Ha,Mk,Rb, Sh, Xn | 100 ug | 330 |
| MAB-10650 | Neurofilament Heavy (NF-H) (Phospho) | Ms | NF-01 | IgG1 | ICC, ELISA, WB, IHC(P) | Hu, Ms, Rt, Pg, Cow, Ch | 100 ug | 200 |
| MAB-94070 | Neurofilament Heavy (NF-H) (Phospho) | Ms | SMI-310 | IgG1 | ICC, ELISA, WB, IHC(P) | Mamm. | 100 ug | 200 |
| MAB-94072 | Neurofilament Heavy (NF-H) (Phospho) | Ms | SMI-31 | IgG1 | ICC IF, IHC(P) WB | Mamm. | 100 ug | 295 |
| MAB-94071 | Neurofilament Heavy (NF-H)(Non-phospho) | Ms | NF-05 | IgG1 | ELISA, WB, IHC(F) | Hu , Rt, Pg, | 100 ug | 250 |
| MAB-94403 | Neurofilament Heavy (NF-H) | Ms | 9B12 | IgG2b | WB, IF/ICC, IHC | Hu Rt Ms,Cw, Pg | 100 ug | 295 |
| MAB-94404 | Neurofilament Heavy (NF-H) | Ms | AH1 | IgG1 | WB, IF/ICC, IHC | Hu Rt Ms,Cw, Pg, Ho | 100 ug | 295 |
| MAB-94292 | Neurofilament Heavy (NF-H) | Ms | SMI402 | IgM | WB, ICC, IHC(P), IHC(F) | Hu, Ms, Rt, Ch, Cow, GP,Ha,Mk,Rb, Sh, Xn | 100 ug | 330 |
| AB-10680 | Neurofilament Heavy (NF-H) | Ch | POLY | IgG | ICC IF WB IHC(P), IHC(F) | Hu,Ms,Rt, Ct, Ch | 50 ul | 380 |
| AB-10684 | Neurofilament Heavy (NF-H) | Rb | POLY | IgG | ICC IF WB IHC(P), IHC(F) | Hu,Ms,Rt, Ct, Cow, Pg,Rb | 100 ul | 295 |
| MAB-10581 | Neurofilament Heavy (NF-H) Phospho | Ms | NAP4 | IgG1k | ICC IF, IHC, WB | Mamm. | 100 ug | 295 |
| MAB-94069 | Neurofilament Light (NF-L) | Ms | 7D1 | IgG2b | ICC IF, IHC, WB | Hu, Ms, Rt, Ct, Ch | 100 ug | 295 |
| MAB-10582 | Neurofilament Light (NF-L) | Ms | DA2 | IgG1k | ICC IF, IHC, WB | Hu, Ms, Rt, Ct, Ch | 100 ug | 295 |
| MAB-94389 | Neurofilament Light (NF-L) | Ms | 1B11 | IgG1 | WB, IF, ICC | Hu Rt Ms,Cw, Pg | 100 ug | 295 |
| AB-83926 | Neurofilament Light (NF-L) | Ch | NF-L | IgY | WB, IF/ICC, IHC | Hu Rt Ms | 100 ug | 295 |
| AB-84805 | Neurofilament Light (NF-L) | Rb | POLY | IgG | WB, IHC, IF, ELISA | Hu, Ms, Rt | 100 ug | 295 |
| AB-11153 | Neurofilament Medium (NF-M) | Rb | POLY | IgG | ICC IF WB IHC(P), IHC(F) | Hu,Ms,Rt, Ct, Cow, Pg,Rb | 100 ul | 295 |
| AB-10686 | Neurofilament Medium (NF-M) | Ch | POLY | IgG | ICC IF WB IHC(P), IHC(F) | Hu,Ms,Rt, Ch | 50 ul | 260 |
| MAB-10583 | Neurofilament Medium (NF-M) | Ms | 3H11 | IgG1k | ICC IF, IHC, WB | Hu, Ms, Rt, Ct, Ch | 100 ug | 295 |
| MAB-10651 | Neurofilament Medium (NF-M (Phospho and Not Phospho) | Ms | NF-09 | IgG2a | ICC, WB, IHC(P) | Mamm. | 100 ug | 200 |
| AB-J10998 | Neuroglycan C | Rb | POLY | IgG | WB;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J10999 | Neuromedin-S | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|---|------|--------|---------|-------------------------------|------------|--------|---------|
| AB-J11000 | Neuromedin-U | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11001 | Neuron Navigator 1 | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J11002 | Neuron Navigator 2 | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-12087 | Neuron Specific Enolase (NSE) | Rb | POLY | IgG | ICC IF WB IHC(P), IHC(F) | Hu, Ms, Rt | 100ul | 295 |
| AB-84260 | Neuron Specific Enolase (NSE) | Ch | POLY | IgY | ICC IF WB , IHC(F) | Hu, Ms, Rt | 100ul | 295 |
| MAB-94200 | Neuron Specific Enolase (NSE) | Ms | 253 | IgG1 | WB, ICC, IF, IHC | Hu,Ms,Rt | 100 ug | 295 |
| MAB-94899 | Neuron Specific Enolase (NSE) | Ms | 25F | IgG | WB, IHC | Hu,Ms,Rt | 100 ug | 295 |
| AB-J11003 | Neuronal PAS1 | Rb | POLY | IgG | WB;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J11227 | NPY / Neuropeptide Y | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11228 | NPY1-R Neuropeptide Y Receptor 1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11229 | NPY2-R Neuropeptide Y Receptor 2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11230 | NPY4R Neuropeptide Y Receptor 4 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11231 | NPY5-R Neuropeptide Y Receptor 5 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11232 | NPY6R Neuropeptide Y Receptor 6 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J11004 | Neurophysin I | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Rt | 100ug | 295 |
| AB-J11005 | Neuropilin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11006 | Neuropilin-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11007 | Neuropilin-2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11008 | Neuroplastin | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11009 | Neuroopsin /Opsin 5 | Rb | POLY | IgG | WB;ELISA;IHC | Hu,Ms | 100ug | 295 |
| AB-J11010 | Neurotensin | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11011 | Neurotrimin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-80517 | NG2/ CSPG4 | Rb | POLY | IgG | WB, IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-84252 | NG2/ CSPG4 | Rb | POLY | IgG | WB,IHC-P | Hu, Ms, Rt | 100 ug | 295 |
| AB-J11060 | NGF | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-10022 | NGF | Rb | POLY | IgG | IHC(P), ICC, WB, IF | Hu, Ms, Rt | 100 uL | 275 |
| MAB-11002 | NGF p75 Receptor | Ms | NGFR5 | IgG1 | IHC(P), ICC, WB, IP,IF, FC | Hu | 100 ug | 275 |
| MAB-94787 | NGF p75 Receptor | Rb | DBO-14 | IgG | WB, ICC, IHC, IF, IP | Hu, Ms, Rt | 200 ug | 450 |
| MAB-94728 | NGF p75 Receptor | Rb | D4B3 | IgG | WB,IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-J11061 | NGF p75 Receptor | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|---------------|---------------------------------|------|-------|---------|---------------------|-------------|--------|---------|
| AB-J11140 | NMDA Receptor 1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11136 | NMDA Receptor 2A | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11137 | NMDA Receptor 2B | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11138 | NMDA Receptor 2C | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11139 | NMDA Receptor 2D | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt,Mk | 100ug | 295 |
| AB-J11176 | NOS1(n/NOS) | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11177 | NOS2(I/NOS) | Rb | POLY | IgG | IF;WB;IHC;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J7132 | NOS3(e/NOS) | Rb | POLY | IgG | IF;WB;IHC;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11178 | NOSIP | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J11233 | NQO1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11234 | NQO2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94974 | NSE | Ms | 6B3 | IgG | WB, IHC | Hu,Ms,Rt | 100 ug | 295 |
| MAB-12480 | Nuclear Pore Complex | Ms | 39C7 | IgG1 | IP, IHC(P) | Hu | 100 ul | 295 |
| AB-J11313 | NUCL / Nucleolin | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94310 | Nuclei | Ms | 235-1 | IgG1 | IF, IHC(F) ICC. IP | Hu | 100 ul | 330 |
| MAB-94310-488 | Nuclei Aleva Fluor488 | Ms | 235-1 | IgG1 | FC ,IF, IHC(F) ICC. | Hu | 100 ul | 300 |
| AB-J11314 | Nucleophosmin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt,Mk | 100ug | 295 |
| AB-J11447 | Occludin | Rb | POLY | IgG | WB IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11451 | Oct-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94975 | Oct1 | Ms | 1089 | IgG | WB, IHC | Hu | 100ug | 295 |
| AB-J11452 | Oct-2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Mk | 100ug | 295 |
| AB-J11453 | OCT3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11454 | Oct-3/4 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94575 | Oct-4 | Ms | OH7 | IgG1 | WB, IHC(P) | Hu,Ms | 100 ug | 330 |
| AB-J11455 | Oct-6 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11474 | Olfactory receptor 10A4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11475 | Olfactory receptor 10A5 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11476 | Olfactory receptor 10A6 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11477 | Olfactory receptor 10A7 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11478 | Olfactory receptor 10AD1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|---|------|-------|---------|--------------|----------|-------|---------|
| AB-J11479 | Olfactory receptor 10AG1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11480 | Olfactory receptor 10C1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11481 | Olfactory receptor 10D4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11482 | Olfactory receptor 10G2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11483 | Olfactory receptor 10G4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11484 | Olfactory receptor 10G6 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11485 | Olfactory receptor 10G7 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11486 | Olfactory receptor 10G9 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11487 | Olfactory receptor 10H1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11488 | Olfactory receptor 10H2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11489 | Olfactory receptor 10H3/4 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11490 | Olfactory receptor 10H4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11491 | Olfactory receptor 10J1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11492 | Olfactory receptor 10J3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11493 | Olfactory receptor 10J5 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11494 | Olfactory receptor 10J6 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11495 | Olfactory receptor 10K1/2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11496 | Olfactory receptor 10R2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11497 | Olfactory receptor 10S1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Mk | 100ug | 295 |
| AB-J11498 | Olfactory receptor 10T2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11499 | Olfactory receptor 10V1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11500 | Olfactory receptor 10X1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11501 | Olfactory receptor 10Z1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Mk | 100ug | 295 |
| AB-J11502 | Olfactory receptor 11G2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11503 | Olfactory receptor 11H1/11H2/11H12 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11504 | Olfactory receptor 11L1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11505 | Olfactory receptor 12D3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11506 | Olfactory receptor 13C3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11507 | Olfactory receptor 13C4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Mk | 100ug | 295 |
| AB-J11508 | Olfactory receptor 13C8 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|----------------------------|------|-------|---------|--------------|----------|-------|---------|
| AB-J11509 | Olfactory receptor 13D1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11510 | Olfactory receptor 13F1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11511 | Olfactory receptor 13G1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11512 | Olfactory receptor 13H1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11513 | Olfactory receptor 1A1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11514 | Olfactory receptor 1B1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11515 | Olfactory receptor 1D2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11516 | Olfactory receptor 1D4/1D5 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11517 | Olfactory receptor 1L6 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11518 | Olfactory receptor 1N1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11519 | Olfactory receptor 1S1/2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11520 | Olfactory receptor 2A25 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11521 | Olfactory receptor 2A4/7 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11522 | Olfactory receptor 2A42 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11523 | Olfactory receptor 2A5/14 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11524 | Olfactory receptor 2AE1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11525 | Olfactory receptor 2AG1/2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11526 | Olfactory receptor 2AG1/2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11527 | Olfactory receptor 2AJ1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11528 | Olfactory receptor 2AK2 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11529 | Olfactory receptor 2AP1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11530 | Olfactory receptor 2AT4 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11531 | Olfactory receptor 2B2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11532 | Olfactory receptor 2B8 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11533 | Olfactory receptor 2C1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11534 | Olfactory receptor 2C3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11535 | Olfactory receptor 2D2 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11536 | Olfactory receptor 2D3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11537 | Olfactory receptor 2F2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11538 | Olfactory receptor 2G2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|------------------------------------|------|-------|---------|--------------|----------|-------|---------|
| AB-J11539 | Olfactory receptor 2H2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11540 | Olfactory receptor 2I1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11541 | Olfactory receptor 2J2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11542 | Olfactory receptor 2J3 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11543 | Olfactory receptor 2K2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11544 | Olfactory receptor 2L5 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11545 | Olfactory receptor 2M2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11546 | Olfactory receptor 2M3 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11547 | Olfactory receptor 2M7 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11548 | Olfactory receptor 2T1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11549 | Olfactory receptor 2T10 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11550 | Olfactory receptor 2T11 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11551 | Olfactory receptor 2T2/35 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11552 | Olfactory receptor 2T2/35 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11553 | Olfactory receptor 2T3/34 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11554 | Olfactory receptor 2T5/2T29 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11555 | Olfactory receptor 2W3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11556 | Olfactory receptor 2Y1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11557 | Olfactory receptor 2Z1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11558 | Olfactory receptor 3A2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11559 | Olfactory receptor 3A2/3A3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11560 | Olfactory receptor 4A15 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11561 | Olfactory receptor 4A16 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11562 | Olfactory receptor 4A4/47 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11563 | Olfactory receptor 4B1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11564 | Olfactory receptor 4C12 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11565 | Olfactory receptor 4C13 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11566 | Olfactory receptor 4C15 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11567 | Olfactory receptor 4C16 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11568 | Olfactory receptor 4C3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|--|------|-------|---------|--------------|----------|-------|---------|
| AB-J11569 | Olfactory receptor 4C6 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11570 | Olfactory receptor 4D1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11571 | Olfactory receptor 4D6 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11572 | Olfactory receptor 4E2 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11573 | Olfactory receptor 4F4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11574 | Olfactory receptor 4F4/4F5/4F17 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11575 | Olfactory receptor 4F6 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11576 | Olfactory receptor 4K14 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11577 | Olfactory receptor 4K14 | Rb | POLY | IgG | WB;ELISA | Hu,Mk | 100ug | 295 |
| AB-J11578 | Olfactory receptor 4K17 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11579 | Olfactory receptor 4K2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11580 | Olfactory receptor 4K3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11581 | Olfactory receptor 4L1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11582 | Olfactory receptor 4N4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11583 | Olfactory receptor 4P4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11584 | Olfactory receptor 4Q3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11585 | Olfactory receptor 4X1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11586 | Olfactory receptor 51A2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11587 | Olfactory receptor 51A4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11588 | Olfactory receptor 51A7 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11589 | Olfactory receptor 51B2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11590 | Olfactory receptor 51B5 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11591 | Olfactory receptor 51B6 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11592 | Olfactory receptor 51D1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11593 | Olfactory receptor 51F1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11594 | Olfactory receptor 51F2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11595 | Olfactory receptor 51G1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11596 | Olfactory receptor 51G2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11597 | Olfactory receptor 51H1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11598 | Olfactory receptor 51I1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|-------------------------|------|-------|---------|--------------|----------|-------|---------|
| AB-J11599 | Olfactory receptor 51I2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11600 | Olfactory receptor 51Q1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11601 | Olfactory receptor 51S1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11602 | Olfactory receptor 51T1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11603 | Olfactory receptor 52A1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11604 | Olfactory receptor 52A4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11605 | Olfactory receptor 52A5 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11606 | Olfactory receptor 52B2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11607 | Olfactory receptor 52D1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Mk | 100ug | 295 |
| AB-J11608 | Olfactory receptor 52E1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Mk | 100ug | 295 |
| AB-J11609 | Olfactory receptor 52E2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11610 | Olfactory receptor 52E4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11611 | Olfactory receptor 52E5 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11612 | Olfactory receptor 52E6 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11613 | Olfactory receptor 52K1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11614 | Olfactory receptor 52N1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11615 | Olfactory receptor 52N4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11616 | Olfactory receptor 52W1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11617 | Olfactory receptor 56A1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11618 | Olfactory receptor 56A3 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11619 | Olfactory receptor 56B1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11620 | Olfactory receptor 56B4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11621 | Olfactory receptor 5A1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11622 | Olfactory receptor 5A2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11623 | Olfactory receptor 5AK3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Mk | 100ug | 295 |
| AB-J11624 | Olfactory receptor 5AP2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11625 | Olfactory receptor 5AR1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11626 | Olfactory receptor 5AS1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11627 | Olfactory receptor 5AU1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11628 | Olfactory receptor 5B12 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|-----------------------------|------|-------|---------|--------------|----------|-------|---------|
| AB-J11629 | Olfactory receptor 5B3 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11630 | Olfactory receptor 5D13 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Mk | 100ug | 295 |
| AB-J11631 | Olfactory receptor 5D16 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11632 | Olfactory receptor 5D3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11633 | Olfactory receptor 5F1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11634 | Olfactory receptor 5H1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11635 | Olfactory receptor 5H15 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11636 | Olfactory receptor 5H6 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11637 | Olfactory receptor 5I1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11638 | Olfactory receptor 5K1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11639 | Olfactory receptor 5K3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11640 | Olfactory receptor 5L1/2 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11641 | Olfactory receptor 5M1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11642 | Olfactory receptor 5M1/5M10 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11643 | Olfactory receptor 5M11 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11644 | Olfactory receptor 5M3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11645 | Olfactory receptor 5M9 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11646 | Olfactory receptor 5P2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11647 | Olfactory receptor 5P3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11648 | Olfactory receptor 5T3 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11649 | Olfactory receptor 5U1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11650 | Olfactory receptor 5V1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11651 | Olfactory receptor 5W2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11652 | Olfactory receptor 6A2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11653 | Olfactory receptor 6B2 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11654 | Olfactory receptor 6C2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11655 | Olfactory receptor 6C3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11656 | Olfactory receptor 6C68 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11657 | Olfactory receptor 6C70 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11658 | Olfactory receptor 6J1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|-----------------------------------|------|-------|---------|--------------|----------|-------|---------|
| AB-J11659 | Olfactory receptor 6K2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11660 | Olfactory receptor 6P1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11661 | Olfactory receptor 6Q1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11662 | Olfactory receptor 6S1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11663 | Olfactory receptor 6T1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11664 | Olfactory receptor 7A10 | Rb | POLY | IgG | WB;ELISA | Hu,Mk | 100ug | 295 |
| AB-J11665 | Olfactory receptor 7C1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11666 | Olfactory receptor 7C2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11667 | Olfactory receptor 7E5P | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11668 | Olfactory receptor 89 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11669 | Olfactory receptor 8B2/3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11670 | Olfactory receptor 8B4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11671 | Olfactory receptor 8D1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11672 | Olfactory receptor 8G1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11673 | Olfactory receptor 8G2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11674 | Olfactory receptor 8G5 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11675 | Olfactory receptor 8H2 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11676 | Olfactory receptor 8H3 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11677 | Olfactory receptor 8I2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11678 | Olfactory receptor 8J1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11679 | Olfactory receptor 8J3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11680 | Olfactory receptor 8K1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11681 | Olfactory receptor 8K3 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11682 | Olfactory receptor 8S1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11683 | Olfactory receptor 8U1/8/9 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11684 | Olfactory receptor 9A2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11685 | Olfactory receptor 9G1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11686 | Olfactory receptor 9G4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11687 | Olfactory receptor 9Q1 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11688 | Olfactory receptor 9Q2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|-----------------------------------|------|-------|---------|----------------------------|--------------------------|--------|---------|
| AB-J11689 | Olfactory receptor O13C2/9 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J82259 | OLIG 1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-84295 | OLIG 2 | Rb | POLY | IgG | IHC(F),IHC(P),IP,IF, WB | Hu,Ms,Rt | 100 ug | 295 |
| AB-J11691 | OLIG2 | Rb | POLY | IgG | WB; ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11692 | OLIG3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J11693 | OLR1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11706 | OPT /Optineurin | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11846 | OREX | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11847 | Orexin R-1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11848 | Orexin R-1 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11878 | OTX1 | Rb | POLY | IgG | WB | Hu, Ms,Rt | 100ug | 295 |
| AB-84239 | Otx2 | Rb | POLY | IgG | WB, IHC(F), IHC(P), IP, FC | Hu,Ms,Rt | 100 ug | 295 |
| AB-82871 | Otx3 | Rb | POLY | IgG | WB, IHC(P) | Hu,Ms,Rt | 100 ug | 290 |
| AB-J11920 | P2R3A | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J11921 | P2RX1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11922 | P2RX2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11923 | P2RX4 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11924 | P2RY1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11925 | P2RY13 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Rt | 100ug | 295 |
| AB-J11926 | P2RY2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11927 | P2RY6 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11928 | P2RY8 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11929 | P2X3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11930 | P2Y10 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J11931 | P2Y11 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11932 | P2Y12 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J11933 | P2Y4 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J12070 | PARK7 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| MAB-94084 | PARK7/DJ1 | Ms | 4H4 | IgG1 | Wb, ICC, IF, IHC | Hu,Ms,Rt, Ho, Cw, Pg, Ch | 100 ug | 295 |
| AB-83905 | PARK7/DJ1 | Rb | POLY | IgG | WB, IF, IHC | Hu Rt Ms,Cw, Pg, Dg | 100 ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|--------------------------------------|------|----------|---------|----------------------------------|-----------------|--------|---------|
| AB-J12071 | Parkin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt,Ch | 100ug | 295 |
| AB-80654 | Parvalbumin | Rb | POLY | IgG | WB, IHC, IF, ICC | Hu, Ms, Rt | 100 ul | 295 |
| MAB-94390 | Parvalbumin | Ms | 3C9 | IgG1 | WB, IF, ICC, IHC | Hu Rt Ms | 100 ug | 295 |
| AB-83912 | Parvalbumin | Ch | POLY | IgY | WB, IF, ICC, IHC | Hu Rt Ms | 100 ug | 295 |
| AB-J12092 | Pax-1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J12093 | Pax-2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J12094 | PAX3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J12095 | Pax-5 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J12096 | Pax-5 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J12097 | PAX6 | Rb | POLY | IgG | WB; ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J12098 | PAX7 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J12099 | Pax-8 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J12100 | Pax-9 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-82374 | Peripherin | Rb | POLY | IgG | WB, ICC,iF, IHC | Hu, Cow, Rt, Ms | 100 ug | 295 |
| AB-J12253 | Peripherin | Rb | POLY | IgG | IHC;WB | Hu, Ms,Rt | 100ug | 295 |
| MAB-94096 | Peripherin | Ms | 8G2 | IgG | WB,ICC/IF, IHC | Mamm | 100 ug | 295 |
| MAB-94090 | Peripherin | Ms | 7C5 | IgG1 | WB, ICC, IF, IHC | Mamm | 100 ug | 295 |
| AB-83913 | Peripherin | Ch | POLY | IgY | WB, IF, ICC, IHC | Hu Rt Ms | 100 ug | 295 |
| AB-J12523 | PLP2 | Rb | POLY | IgG | WB;ELISA;IHC | Hu, Ms,Rt | 100ug | 295 |
| MAB-1574 | Polyglutamine | Ms | 5Tf1-1C2 | IgG1k | WB, IP, IHC(P), IHC(F), ICC, EIA | Hu | 100 ul | 495 |
| AB-J12711 | Presenilin 1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J12712 | Presenilin 2 | Rb | POLY | IgG | WB;IHC | Hu,Ms,Rt | 100ug | 295 |
| MAB-10681 | PSD-95 MAGUK Scaffold Protein | Ms | K28/43 | IgG2a | WB, IHC(P), IHC(F), IF ,ICC,IP | Hu, Ms, Rt | 1 ml | 390 |
| AB-82416 | PSD-95 MAGUK Scaffold Protein | Rb | POLY | IgG | WB, IHC(P), IF, IP | Hu, Ms, Rt | 100 ug | 295 |
| AB-J12794 | PSD-95 MAGUK Scaffold Protein | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J13013 | RAGE | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J13014 | RAGE | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J13132 | Recoverin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J13267 | Rhodopsin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J13574 | RUNX1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|---------------------------------------|------|-------|---------|------------------|-------------|--------|---------|
| AB-J13575 | RUNX2 | Rb | POLY | IgG | IF;WB;ELISA | Hu,Ms,Rt,Dg | 100ug | 295 |
| AB-J13576 | RUNX3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J13587 | S100 | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J13588 | S100 | Rb | POLY | IgG | WB;IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J13589 | S-100 α | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-83558 | S-100 beta | Rb | POLY | IgG | WB,IHC(P) ,IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-J13590 | S100 β | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J13591 | S100 β | Rb | POLY | IgG | WB;IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-J14286 | Serotonin Receptor-1A | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rat | 100ug | 295 |
| AB-J14287 | Serotonin Receptor-1B | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rat | 100ug | 295 |
| AB-J14288 | Serotonin Receptor-1D | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rat | 100ug | 295 |
| AB-J14289 | Serotonin Receptor-1E | Rb | POLY | IgG | IF;ELISA;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J14290 | Serotonin Receptor-1F | Rb | POLY | IgG | WB;ELISA;IHC | Hu,Ms,Rt,Mk | 100ug | 295 |
| AB-J14291 | Serotonin Receptor-2A | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14292 | Serotonin Receptor-2B | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14293 | Serotonin Receptor-2C | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rat | 100ug | 295 |
| AB-J14294 | Serotonin Receptor-3A | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J84450 | Serotonin Receptor 3B | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J84451 | Serotonin Receptor 3C | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14295 | Serotonin Receptor-3D | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14296 | Serotonin Receptor-4 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rat | 100ug | 295 |
| AB-J14297 | Serotonin Receptor-5A | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14298 | Serotonin Receptor-5B | Rb | POLY | IgG | WB;IF;ELISA | Ms,Rat | 100ug | 295 |
| AB-J14299 | Serotonin Receptor-6 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rat | 100ug | 295 |
| AB-J14300 | Serotonin Receptor-7 | Rb | POLY | IgG | IF;ELISA | Hu,Ms,Rat | 100ug | 295 |
| AB-J14301 | Serotonin Receptor-A1 | Rb | POLY | IgG | WB; ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB- 84119 | Serotonin Transporter (SERT) | Rb | POLY | IgG | WB, IF, ICC, IHC | Hu, Ms, Rt | 100 ug | 295 |
| AB-J14104 | SNAP 23 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14105 | SNAP 25 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14152 | SOD1 | Rb | POLY | IgG | WB;IHC;IF | Hu,Ms,Rt | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------------|--------------------------------|------|-------|---------|---------------------------|--------------|--------|---------|
| AB-J14155 | SOD-2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14161 | Somatostatin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-81182 | Somatostatin Receptor 1 | Rb | POLY | IgG | WB;IHC;IF | Hu,Ms,Rt | 100ug | 295 |
| AB-83380 | Somatostatin Receptor 2 | Rb | POLY | IgG | WB;IF;ELISA | Hu,Ms,Rt | 100ul | 320 |
| AB-11433 | Somatostatin Receptor 3 | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| AB-83381 | Somatostatin Receptor 4 | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| AB-83382 | Somatostatin Receptor 5 | Rb | POLY | IgG | WB;ELISA;IHC | Hu,Ms,Rt | 100ug | 360 |
| AB-84496 | SOX1 | Rb | POLY | IgG | WB, IHC | Hu, Ms, Rt | 100 ug | 295 |
| AB-J14169 | SOX1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-10868 | SOX10 | Rb | POLY | IgG | WB, IHC(P) | Hu,Ms,Rt | 100 ug | 295 |
| AB-J14170 | SOX10 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-84777 | SOX10 | Rb | POLY | IgG | WB,FC | Hu, Ms, Rt | 100 ul | 450 |
| AB-J14171 | SOX11 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14172 | Sox-12 | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J14173 | SOX13 | Rb | POLY | IgG | WB;ELISA;IHC | Hu, Ms | 100ug | 295 |
| AB-10539 | SOX14 | Rb | POLY | IgG | WB, IHC(P), IF ,ICC | Hu, Ms, Rt | 100 ug | 290 |
| AB-J14174 | SOX15 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J14175 | Sox-17 | Rb | POLY | IgG | WB;ELISA;IHC | Hu,Ms | 100ug | 295 |
| AB-81156 | SOX2 | Rb | POLY | IgG | WB, ICC, | Hu, Ms | 100 ug | 295 |
| AB-83387 | SOX2 | Rb | POLY | IgG | WB, IHC(P) IHC(F) IF ,ICC | Hu,Ms,Rt | 100 ug | 275 |
| AB-J14177 | SOX3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J14176 | SOX21 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-10065 | SOX30 | Rb | POLY | IgG | WB, IHC, ICC | Hu,Ms,Rt | 100 ug | 290 |
| AB-J14178 | SOX4 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J14179 | SOX5 | Rb | POLY | IgG | WB | Hu, Ms | 100ug | 295 |
| AB-J14180 | Sox-6 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt,Mk | 100ug | 295 |
| AB-J14181 | SOX7 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J14182 | Sox-8/9/17/18 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Mk | 100ug | 295 |
| AB-J14183 | Sox-9 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-84395 | Spectrin Alpha II | Rb | POLY | IgG | WB, IF,ICC, IHC | Hu,Ms,Rt, Co | 100 ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|-----------------------------|------|--------|---------|-----------------|------------|--------|---------|
| MAB-94657 | Spectrin Alpha II | Ms | 3D7 | IgG1 | WB, IF/ICC, IHC | Hu,Ms,Rt | 100 ug | 295 |
| AB-J14225 | Spectrin β II | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14226 | Spectrin β V | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-10143 | SSEA-1/(CD15) | Ms | MC-480 | IgM | FC, ICC, IHC | Hu | 100 ug | 220 |
| MAB-90225 | STRO-1 | Ms | STRO1 | IgM | FC, ICC | Hu | 100 ug | 295 |
| AB-84379 | Substance P | Rb | POLY | IgG | WB, IF, ICC | Hu | 100ug | 360 |
| AB-82047 | Substance-P Receptor | Rb | POLY | IgG | WB; IF | Hu,Ms,Rt | 100ug | 295 |
| AB-83468 | Synapsin 1 | Rb | POLY | IgG | WB, IHC(P) , IF | Hu, Ms, Rt | 100 ul | 295 |
| AB-J14523 | Synapsin 1 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14524 | Synapsin 1 | Rb | POLY | IgG | WB;ELISA;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J2857 | Synapsyn 2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J2858 | Synapsyn 3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-82642 | Synaptophysin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14525 | Synaptotagmin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14526 | Synaptotagmin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14551 | Synaptotagmin 2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14552 | Synaptotagmin 3 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14553 | Synaptotagmin 4 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14554 | Synaptotagmin 5 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14555 | Synaptotagmin 7 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J14556 | Synaptotagmin 8 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14557 | Synaptotagmin 9 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14527 | Synaptotagmin 10 | Rb | POLY | IgG | WB;IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J14528 | Synaptotagmin 11 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14548 | Synaptotagmin 12 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14549 | Synaptotagmin 14 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J14550 | Synaptotagmin 15 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14529 | Synaptotagmin 13 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14530 | Synaptotagmin 16 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94574 | Synuclein Alpha | Ms | 5C6 | IgG1 | WB, IHC(P) | Hu, Ms, Rt | 100 ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|------------------------|------|--------|---------|-----------------------------|----------------------------|--------|---------|
| MAB-94093 | Synuclein Alpha | Ms | 2A7 | IgG1 | WB, IF, ICC, IHC | Hu, Ho, Cw, Pg, Ch, Rt, Ms | 100 ug | 295 |
| AB-J14542 | Synuclein Alpha | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-83921 | Synuclein Alpha | Ch | POLY | IgY | WB, IF, ICC, IHC | Hu Rt Ms,Cw, Pg, Ho | 100 ug | 295 |
| MAB-94667 | Synuclein Beta | Ms | 6A10 | IgG1 | WB, IF, ICC, IHC | Hu, Ho, Cw, Pg, Ch, Rt, Ms | 100 ug | 295 |
| AB-84417 | Synuclein Beta | Rb | POLY | IgG | WB, IF, ICC, IHC | Hu, Ho, Cw, Pg, Ch, Rt, Ms | 100 ug | 295 |
| AB-J14543 | Synuclein Beta | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14544 | Synuclein Gamma | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J14637 | TAF15 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| MAB-95018 | Tau (10E3) | Ms | 1E3 | IgG | WB, IHC | Hu,Ms,Rt | 100 ug | 295 |
| AB-J14717 | TBR1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-84495 | TBR2 / EOMES | Rb | POLY | IgG | WB, ELISA | Hu, Ms | 100 ug | 295 |
| MAB-94326 | TDP43 | Ms | 3H8 | IgG1 | WB, IHC(P), IHC(F), IF, ICC | Hu, Ms, Rt,Cw, Pg | 100 ug | 295 |
| MAB-94327 | TDP43 | Ms | 2E2-D3 | IgG1 | WB, IHC(P), IHC(F), IF, ICC | Hu, Ms, Rt,Cw, Pg | 100 ug | 295 |
| AB-83805 | TDP43 | Rb | POLY | IgG | WB, IHC, IF, ICC, CHIP | Hu, Ms, Rt | 100 ug | 295 |
| AB-84430 | TMEM119 | Rb | POLY | IgG | WB, IHC, IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-J15242 | Trk A | Rb | POLY | IgG | IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J83821 | Trk A | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15244 | Trk A | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15245 | Trk B | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J83780 | Trk B | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15247 | Trk C | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15265 | TRP14 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15266 | TRP2 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J15267 | TRPA1 | Rb | POLY | IgG | WB IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15268 | TRPC1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15269 | TRPC3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15270 | TRPC5 | Rb | POLY | IgG | WB | Hu, Ms | 100ug | 295 |
| AB-J15271 | TRPC6 | Rb | POLY | IgG | WB | Hu, Ms | 100ug | 295 |
| AB-J15272 | TRPC7 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J15273 | TRPM2 | Rb | POLY | IgG | WB | Hu, Ms | 100ug | 295 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|-------------------------------|------|-------|---------|------------------------|--|--------|---------|
| AB-J15274 | TRPM3 | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| AB-J15275 | TRPM4 | Rb | POLY | IgG | WB | Hu, Ms,Rt | 100ug | 295 |
| AB-J15276 | TRPM7 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15277 | TRPM8 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-80085 | TRPV1 | Rb | POLY | IgG | WB, IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-J15280 | TRPV2 | Rb | POLY | IgG | WB; IF;IP | Hu, Ms,Rt | 100ug | 295 |
| AB-J15281 | TRPV3 | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms | 100ug | 295 |
| AB-J15282 | TRPV4 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15283 | TRPV4 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15284 | TRPV5 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15285 | TRPV6 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-83760 | Tryptophan Hydroxylase | Rb | POLY | IgG | WB | Hu,Ms, Rt | 100 ug | 295 |
| MAB-95025 | Tubulin alpha | Ms | 4B9 | IgG | WB, IHC, IF, IP | Hu,Ms,Rt | 100 ug | 295 |
| AB-J15378 | Tubulin alpha | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt,Ch | 100ug | 295 |
| AB-J15379 | Tubulin alpha | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15380 | Tubulin alpha | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15381 | Tubulin alpha | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-11661 | Tubulin alpha | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J16310 | Tubulin alpha | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| AB-83839 | Tubulin beta | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J16316 | Tubulin beta | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| AB-J15387 | Tubulin beta | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt,Pg;Cow,Fish | 100ug | 295 |
| MAB-95027 | Tubulin beta | Ms | 5F5 | IgG | WB, IHC, IF | Hu,Ms,Rt, Mk, Dg, Ch, Ha, Rb,Sh, Ins, Yeast | 100 ug | 295 |
| MAB-95029 | Tubulin beta (HRP) | Ms | 7G9 | IgG | WB, IHC | Hu,Ms,Rt, Mk, Dg, Ch, Ha, Rb, Sh, Ins, Yeast | 100 ug | 295 |
| MAB-95030 | Tubulin beta I | Ms | 3G6 | IgG | WB, IHC | Hu,Ms,Rt | 100 ug | 295 |
| AB-J16311 | Tubulin beta II | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J16312 | Tubulin beta II | Rb | POLY | IgG | WB; IF | Hu,Ms,Rt | 100ug | 295 |
| MAB-95032 | Tubulin beta II | Ms | UJ6 | IgG | WB, IP | Rt, Ms, Hu | 100 ug | 295 |
| AB-J16314 | Tubulin beta III | Rb | POLY | IgG | WB | Hu,Ms,Rt | 100ug | 295 |
| MAB-10288 | Tubulin beta III | Ms | TU-20 | IgG1 | ICC, ELISA, WB, IHC(P) | Hu, Ms, Ch, Bv, Pg, Rt, Ha, Fh | 100 ug | 225 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|--|------|---------|---------|--------------------------------------|----------------------------|--------|---------|
| MAB-93374 | Tubulin beta III | Ms | 5G8 | IgG1 | WB, IHC(P), FC, ICC | All Species | 100 ug | 225 |
| AB-81596 | Tubulin beta III (TUJ-1) | Rb | POLY | IgG | WB,IHC(P), ICC,IF,FC | Hu, Ms, Rt | 100 ug | 295 |
| MAB-91908 | Tubulin beta III (TUJ-1) | Ms | TUJ-1 | IgG2a | WB, ICC,IHC (P) | Hu, Ms, Rt, | 100 ug | 225 |
| MAB-94646 | Tubulin beta III (TUJ-1) | Ms | TUJ-1 | IgG1 | WB, IHC | Hu | 100 ug | 275 |
| AB-84368 | Tubulin beta III (TUJ-1) | Ch | POLY | IgY | WB, IHC, ICC | Hu, Ms | 100ug | 350 |
| AB-81596 | Tubulin beta III (TUJ-1) | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| MAB-95033 | Tubulin beta III (TUJ-1) | Ms | 26G | IgG | WB, IHC | Hu,Ms,Rt | 100 ug | 295 |
| AB-J15388 | Tubulin gamma | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15427 | Tyrosine Hydroxylase | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15428 | Tyrosine Hydroxylase | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15429 | Tyrosine Hydroxylase | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt,Mk | 100ug | 295 |
| AB-J15430 | Tyrosine Hydroxylase | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-10263 | Tyrosine Hydroxylase | Ms | TH-100 | IgG1 | WB, IHC(P), IHC(F) | Hu,Rb, Rt,Ms | 100 ug | 295 |
| MAB-94589 | Tyrosine Hydroxylase | Ms | LNC1 | IgG1 | WB, IHC(P), IHC(F) ,IF,ICC | Hu, Ms, Rt | 100 ug | 295 |
| MAB-94729 | Tyrosine Hydroxylase | Ms | TH-2 | IgG1 | WB, IHC(P), IHC(F) ,IF,ICC | Hu, Ms, Rt | 100 ug | 295 |
| AB-10312 | Tyrosine Hydroxylase | Rb | POLY | IgG | WB, IHC(P), IHC(F) ,IF,ICC | Hu, Ms, Rt | 100 ul | 295 |
| AB-80649 | Tyrosine Hydroxylase | Ch | POLY | IgY | WB, IHC(P), IHC(F) ,IF,ICC | Hu,Ms,Rt | 100 ul | 250 |
| AB-J15453 | Ubiquitin | Rb | POLY | IgG | WB;IP;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15456 | Ubiquitin | Rb | POLY | IgG | IF;WB;IHC;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94403 | Ubiquitin | Ms | WBUbi-1 | IgG1 | WB, IF/ICC, IHC | Mammalian | 100 ug | 295 |
| MAB-10484 | Ubiquitin | Ms | Ubi-1 | IgG1 | ELISA, WB, IHC (P), IHC (F) ,ICC, IF | Hu, Ho, Cw, Pg, Ch, Rt, Ms | 100 ul | 295 |
| AB-10690 | Ubiquitin | Rb | POLY | IgG | ELISA, WB, IHC (P), IHC (F) ,ICC, IF | Hu, Ho, Cw, Pg, Ch, Rt, Ms | 100 ul | 295 |
| MAB-95034 | Ubiquitin (6G6) | Ms | 26A3 | IgG | WB, IHC | Hu,Ms,Rt | 100 ug | 295 |
| AB-J15541 | UCHL1(PGP9.5) | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J12309 | UCHL1(PGP9.5) | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| MAB-94396 | UCHL1(PGP9.5) | Ms | BH7 | IgG1 | WB, IF, ICC, IHC | Hu Rt Ms,Cw, Pg, Dg | 100 ug | 295 |
| AB-83916 | UCHL1(PGP9.5) | Rb | POLY | IgG | WB, IF, ICC, IHC | Hu Rt Ms,Cw, Pg, Mk, Dg | 100 ug | 295 |
| AB-83917 | UCHL1(PGP9.5) | Ch | POLY | IgY | WB, IF, ICC, IHC | Hu Rt Ms,Cw, Pg, Ho | 100 ug | 295 |
| AB-11247 | VAcHT (Vesicular Acetylcholine Transporter) | Rb | POLY | IgG | WB, IHC(P) ,IF | Hu, Rt, | 100 ul | 295 |
| AB-11243 | Vasoactive Intestinal Peptide (VIP) | Rb | POLY | IgG | IHC, WB | Hu,Ms,Rt, | 100 ul | 280 |

| Cat.n. | Description | Host | Clone | Isotype | Applications | Species | Size | € Price |
|-----------|---|------|-------|---------|------------------|---------------------------------|--------|---------|
| AB-81357 | Vasoactive Intestinal Peptide Receptor 1 (VIPR1) | Rb | POLY | IgG | IHC, WB | Hu, Rt, | 100 ul | 295 |
| AB-83460 | V-GAT | RB | POLY | IgG | WB | Hu,Ms, Rt | 100 ug | 295 |
| AB-J15712 | V-Glut1 | Rb | POLY | IgG | WB | Hu, Ms,Rt | 100ug | 295 |
| AB-J15713 | V-Glut2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15720 | Villin | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-82376 | Vimentin | Rb | POLY | IgG | WB, ICC,IF,IHC | Hu, Ho, Cw, Pg, Ch, Rt, Ms | 100 ug | 295 |
| MAB-94091 | Vimentin | Ms | 2A52 | IgG1 | WB, ICC/IF, IHC | Hu, Ho, Cw, Pg, Ch, Rt, not Ms | 100 ug | 295 |
| MAB-94091 | Vimentin | Ms | 2A52 | IgG1 | WB, ICC,IF,IHC | Hu,Ms,Rt | 100 ug | 275 |
| AB-83918 | Vimentin | Ch | POLY | IgY | WB, IF, ICC, IHC | Hu Rt Ms,Cw, Pg, Ho, Dg, Ch, Mk | 100 ug | 295 |
| AB-83919 | Vimentin | Gt | POLY | IgG | WB, IF, ICC, IHC | Hu Rt Ms,Ho, Dg | 100 ug | 295 |
| AB-84199 | Vimentin | Rb | POLY | IgG | WB, IHC, IF | Hu, Ms | 100 ug | 275 |
| MAB-94625 | Vimentin | Rb | D21H3 | IgG | WB, IHC, IF, IP | Hu, Ms, Rt | 100 ug | 275 |
| MAB-94091 | Vimentin | Ms | 2A52 | IgG1 | WB, ICC,IF,IHC | Hu,Ms,Rt | 100 ug | 275 |
| MAB-95040 | Vimentin | Ms | 48PA | IgG | WB, IHC, IF | Hu,Ms,Rt | 100 ug | 295 |
| AB-J15722 | Vimentin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-83451 | Vinculin | Rb | POLY | IgG | WB, IHC(P), IF | Hu, Ms, Rt | 100 ug | 295 |
| AB-J15723 | Vinculin | Rb | POLY | IgG | WB, IHC | Hu,Ms,Rt | 100ug | 295 |
| AB-J15724 | Vinculin | Rb | POLY | IgG | WB;IHC;IF;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-82375 | Visinin-like Protein 1 | Rb | POLY | IgG | WB,ICC,IF,IHC | Hu, Ho, Cw, Pg, Ch, Rt, Ms | 100 ug | 295 |
| MAB-94092 | Visinin-like Protein 1/ VLP1 | Ms | 2D11 | IgG1 | WB, ICC, IF, IHC | Hu, Ho, Cw, Pg, Ch, Rt, Ms | 100 ug | 295 |
| AB-83920 | Visinin-like Protein 1/ VLP1 | Ch | POLY | IgY | WB, IF, IHC | Hu Rt Ms | 100 ug | 295 |
| AB-J15735 | VMAT1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15736 | VMAT2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms,Rt | 100ug | 295 |
| AB-J15773 | VSX1 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |
| AB-J15774 | VSX2 | Rb | POLY | IgG | WB;ELISA | Hu,Ms | 100ug | 295 |